




## PRODUCT PRICE BOOK

January 22, 2026

Control Panels • Alarm Systems  
Float Switches • Accessories



[www.sjerhombus.com](http://www.sjerhombus.com)

# ORDERING INFORMATION

To assist us in delivering the exact product you want, please order by the seven digit part number or panel model number. If you require special features, such as additional cable length or special packaging, please call your customer service representative at 1-888-342-5753.

SJE Rhombus® also manufactures Engineered Custom control panels. Please email quote requests to [panelquote@sjeinc.com](mailto:panelquote@sjeinc.com). For additional information on our Blanket Agreement Program, Freight Paid Program, Return Policy or Payment Terms, please refer to the back side of your multiplier sheet, contact your factory representative or contact SJE Rhombus customer service at 1-888-342-5753.

## ORDERING PANELS

Our Build-A-Panel™ control panels utilize a user-friendly worksheet on the back of each panel catalog page to assist in building your panel model. Simply select the appropriate feature and fill in the corresponding box at the top of the page. The total of these selections will result in your panel model. See example:

## EXAMPLE

IFN CONTROL PANEL	2 MODEL TYPE	1 ALARM PACKAGE	W ENCLOSURE RATING	1 STARTING DEVICE	4 PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	6A8AC10E OPTIONS (LISTED BELOW)
<b>CONTROL PANEL</b>	✓	IFN					
<b>MODEL TYPE</b>	✓	2	Single Phase Simplex (includes Options 6A, 8AC and 10E as standard)		\$1,240.12		
<b>ALARM PACKAGE</b>	✓	1	Alarm Package (includes test/silence switch, red light, & horn)		Base		
<b>ENCLOSURE RATING</b>	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base		
<b>STARTING DEVICE</b>	✓	1	120/208/240V		Base		
<b>PUMP FULL LOAD AMPS</b>	0	0 - 7 FLA			Base		
	1	7 - 15 FLA			Base		
	2	15 - 20 FLA			\$114.33		
<b>PUMP DISCONNECTS</b>	✓	4	Circuit Breaker 120/208/240V		Base		
<b>LEVEL CONTROL APPLICATION</b>	H	Floats - Pump Down (select Option 17 below)			See Options		
		Timed dose = redundant off, timer enable, alarm / Demand dose = stop, start, alarm (all systems will ship with 3 floats by default)					
	E	EZconnex® Float Switch System			See Options		
	X	No Floats, Transmitter or Sensor			Base		
	C	C-Level™ Sensor (select Option 24 or 29)* Select Option 3E and/or 4D for high water alarm and/or redundant off floats			See Options		
T	Sub-X™ LT Transmitter (select Option 31).*	Select Option 3E and/or 4D for high water alarm and/or redundant off floats.			See Options		

PRICING WORKSHEET
IFS Simplex Base Price <u>\$1,240.12</u>
Alarm Package _____
Enclosure Rating _____
Starting Device _____
Pump Full Load Amps _____
Pump Disconnects _____
Level Control Application _____
Total Options _____

## SHIPPING YOUR ORDER

Standard catalog items, depending on volume and options, are shipped within five (5) business days from receipt of order. SJE Rhombus Build-A-Panel™ control panels ordered with multiple options and orders exceeding \$10,000 may require up to ten (10) business days to ship. Large stocking panel orders or custom panel orders may require additional lead time of more than ten (10) business days.

Next Day Air, Second Day Air and Three Day UPS Ground services are available. To receive these services you must place your order before 1:00 p.m. Central Time. SJE Rhombus reserves the right to increase prices if transportation rates increase.

## PRODUCT RETURN

Returned Materials Authorization (RMA) numbers must be assigned to products being returned for warranty claim. Control panel models IFS7, IFS8, SGS, 113, 123, 114, 124, 314, and 324; panels including option "10A"; panels including any "non-catalog" options; Build-A-Panel™ PLUS control panels; obsolete panels; and products more than one year from the date of manufacture cannot be returned to SJE Rhombus for restocking credit. Contact your customer service representative for instructions on returning a product for warranty.

## PRICING SUBJECT TO CHANGE WITHOUT NOTICE.

## WARRANTY

SJE Rhombus offers an industry-leading five-year limited warranty on most standard products available in our catalog. For complete terms and conditions, please visit [www.sjerhombus.com](http://www.sjerhombus.com).

## PROP 65

For all products in this book: California Prop 65 requires the following:  **WARNING** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

# TABLE OF CONTENTS

	Page #	Page #
<b>CONTROL PANELS</b>		
<b>EZ Series®</b>		
EZ Series® Single Phase Simplex (Demand/TD) .....	2	
EZ Series® Single Phase Duplex (Demand) .....	3	
EZ Series® In-Site® CL Bluetooth® Single Phase Simplex .....	4	
EZ Series® In-Site® CL Bluetooth® Single Phase Duplex .....	5	
EZ Series® Plugger .....	6	
<b>Installer Friendly Series®</b>		
IFS Single Phase Simplex (Demand/TD) .....	7	
IFS Single Phase Duplex (Demand/TD) .....	8	
IFS Three Phase Simplex (Demand/TD) .....	9	
IFS Three Phase Duplex (Demand/TD) .....	10	
IFS Single Phase Simplex Capacitor Start/Run .....	11	
IFS Single Phase Duplex Capacitor Start/Run .....	12	
IFS In-Site® Single Phase Simplex (Demand/TD) .....	13	
IFS In-Site® Single Phase Duplex (Demand/TD) .....	14	
IFS Drip .....	15	
<b>NEX Series®</b>		
NEX Series® Simplex .....	15	
NEX Series® Duplex .....	15	
<b>Single Phase</b>		
Model 115 .....	16	
Model 112 .....	17	
Model 122 .....	18	
<b>Three Phase</b>		
Model 312 .....	19	
Model 322 .....	20	
Model 32S .....	21	
Model 32XR .....	21	
<b>Capacitor Start/Run</b>		
Model 113 .....	22	
Model 123 .....	23	
<b>Intrinsically Safe</b>		
Model 114 .....	24	
Model 124 .....	25	
Model 314 .....	26	
Model 324 .....	27	
<b>Timed Dosing</b>		
Model TD .....	28	
Digital Timed Dose .....	28	
Model PS11/PS12 .....	29	
<b>Plugger Products</b>		
JB Plugger 120V, 230V .....	29	
Quick Post Plus™ System with Indoor Alarm .....	29	
Quick Post Plus™ Outdoor System .....	29	
Ultra Nator™ .....	29	
PS Patrol® .....	30	
<b>Oil Detection Products</b>		
SJE Oil Spotter™ .....	31	
SJE Oil Spotter™ Auto .....	31	
<b>Grinder Products</b>		
VARIOSpeed® Grinder Simplex .....	31	
VARIOSpeed® Grinder Duplex .....	31	
NEX Series® Grinder .....	32	
<b>PRESSURE CONTROLS (Booster/Well Pumps)</b>		
<b>Variable Speed</b>		
H2O Drive® Single Phase, 240V .....	32	
H2O Drive® Three Phase, 240V .....	33	
H2O Drive® Three Phase, 480V .....	33	
Endura Pressure Booster .....	34	
<b>Constant Speed</b>		
WellZone™ 2-Wire .....	35	
WellZone™ 3-Wire .....	35	
Model 126 .....	35	
Select Start™ .....	36	
Select Start™ LT .....	36	
<b>ALARM SYSTEMS</b>		
<b>Indoor Alarms</b>		
Xpert Alert® RF .....	36	
Xpert Alert® .....	36	
Xpert Alert® WiFi .....	36	
Tank Alert® AB .....	37	
Tank Alert® AB DUO .....	37	
Tank Alert® I .....	37	
<b>Outdoor Alarms</b>		
Tank Alert® EZ .....	38	
Tank Alert® EZ DUO .....	38	
Tank Alert® XT .....	39	
Tank Alert® 4X .....	39	
Tank Alert® Solar .....	39	
<b>LEVEL MONITORING</b>		
C-Con™ Converter Box .....	40	
SJE Level Monitor™ CL .....	40	
Sub-X™ Transmitter .....	40	
Sub-X™ LT Transmitter .....	40	
Sub-X™ IS Transmitter .....	40	
<b>PUMP SWITCHES</b>		
<b>Mechanical</b>		
SJE PumpMaster® WPS .....	41	
SJE PumpMaster®, SJE PumpMaster® Plus, SJE PumpMaster® SPDT .....	41	
Double Float® Master .....	42	
SJE AmpMaster® .....	42	
SJE VerticalMaster® 3 Plus .....	42	
SJE MicroMaster® AC/DC .....	43	
SJE MicroMaster® Plus WS .....	43	
SJE MicroMaster® RA .....	43	
SJE HiTempMaster™ .....	43	
<b>Mercury</b>		
Junior Super Single® .....	44	
Double Float® .....	44	
<b>CONTROL SWITCHES</b>		
<b>Mechanical</b>		
EZconnex® 3-Port Float Switch Connection System .....	45	
EZconnex® 4-Port Float Switch Connection System .....	46	
SJE MegaMaster® .....	46	
SJE SignalMaster®, SJE SignalMaster® SPDT .....	47	
SJE MilliAmpMaster™ WPS .....	47	
SJE MilliAmpMaster™ .....	48	
<b>Mercury</b>		
Sensor Float® .....	48	
Sensor Float® Mini .....	49	
<b>ACCESSORIES</b>		
<b>Control Panel Accessories</b>		
Junction Boxes .....	49	
Control Panel Accessories .....	49	
Cord Seals, Hub Assembly, Simplex Installation Kit, Duplex Installation Kit, Cable Connectors, Panel Mounting Post, Riser Mounting Kit, C-Level™ Sensor Simulator, and 4-20mA Simulator		
DPM-240 .....	50	
<b>Float Accessories</b>		
Cable Clamp Assembly, Float Brackets, Pipe Mounting Bracket, Cable Weights, ETM w/Piggy-Back Plug, Vertical Reed Switch, Anchor, and Chain		
		50

Part #	Pre-configured Panels for Easy Ordering	List Price
1030771	EZS21W114X3A6A8AC10E15A	\$1,054.58
1052607	EZS11W114H3A6A8AC10E15A17G	\$1,134.14

EZS	MODEL TYPE	1	W	1	STARTING DEVICE	4	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	3A6A8AC10E15A	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓ EZS									
MODEL TYPE		1	Simplex Timed Dose (includes Options 3A6A8AC10E15A as standard)		\$925.05					<b>BASE PRICE</b>
		2	Simplex Demand Dose (includes Option 3A6A8AC10E15A as standard)		\$966.00					Simplex Timed Dose - \$925.05
ALARM PACKAGE	✓	1	Alarm Package (includes test/silence switch, fuse, red light, & horn)		Base					Simplex Demand Dose - \$966.00
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base					
STARTING DEVICE	✓	1	120/208/240V		Base					
		0	0 - 7 FLA		Base					
		1	7 - 15 FLA		Base					
		2	15 - 20 FLA		Base					
PUMP DISCONNECTS	✓	4	Circuit Breaker(s) 120/208/240V		\$88.58					
		H	Floats - Pump Down (select Option 17 below) Timed dose = timer enable and alarm / Demand dose = stop, start, and alarm		See Options					
LEVEL CONTROL APPLICATION		E	EZconnex® Float Switch System		See Options					
		X	No Floats		Base					

**PRICING WORKSHEET**

**BASE PRICE**  
**Simplex Timed Dose - \$925.05**  
**Simplex Demand Dose - \$966.00**

EZS Simplex Base Price \_\_\_\_\_

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

Level Control Application \_\_\_\_\_

Total Options \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

	OPTIONS	DESCRIPTION	LIST PRICE
	1J	Duo Alarm Inputs	\$41.20
✓	3A	<b>Alarm Flasher (Included as standard)</b>	<b>\$0.00</b>
	4A	Redundant Off (Timed Dose Float Panel Only) (must also select Option 4D if floats are required)	\$0.00
	4D	Redundant Off Float (must also select Option 4A and Option 17)	\$40.17
✓	6A	<b>Auxiliary Alarm Contact, Form A (Included as standard)</b>	<b>\$0.00</b>
✓	8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter (included as standard)	<b>\$0.00</b>
✓	10E	<b>Lockable Latch - NEMA 4X (included as standard)</b>	<b>\$0.00</b>
	10P	Mounting Post (Factory installed with 2.5" cord seal)	\$231.75
✓	15A	<b>Control/Alarm Circuit Breaker (Included as standard)</b>	<b>\$0.00</b>

For additional level control and control panel options, please contact  
Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**Note:** Timed Dose models have the base price adjusted as it is a two float system.

	OPTIONS	DESCRIPTION	LIST PRICE
	16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24
	16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48
	17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury	\$170.10
	17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury	\$176.40
	17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical	\$120.51
	17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical	\$148.32
	17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury	\$144.90
	18A	Timer Override Float (Timed Dose Float Panel Only)	\$40.17
	33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
	35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp (Timed Dose Only)	\$424.73

EZS	4	1	W	1		4		3A6A8AC10E15A
CONTROL PANEL	MODEL TYPE	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	OPTIONS (LISTED BELOW)
✓	EZS							
✓	4	Single Phase Duplex (includes Options 3A6A8AC10E15A as standard)			\$1,261.05			EZS Duplex Base Price <u>\$1,261.05</u>
✓	1	Alarm Package (includes test/silence switch, fuse, red light, & horn)			Base			Alarm Package _____
✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)			Base			Enclosure Rating _____
✓	1	120/208/240V			Base			Starting Device _____
	0	0 - 7 FLA			Base			Pump Full Load Amps _____
	1	7 - 15 FLA			Base			Pump Disconnects _____
	2	15 - 20 FLA			Base			Level Control Application _____
PUMP DISCONNECTS	✓	4	Circuit Breaker(s) 120/208/240V		\$177.16			Total Options _____
LEVEL CONTROL APPLICATION		H	Floats - Pump Down (select Option 17 below)		See Options			
		E	EZconnex® Float Switch System		See Options			
		X	No Floats		Base			
<b>TOTAL LIST PRICE</b> <u>_____</u>								

OPTIONS	DESCRIPTION	LIST PRICE	OPTIONS	DESCRIPTION	LIST PRICE
1J	Duo Alarm Inputs	\$41.20	17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury	\$170.10
✓ 3A	Alarm Flasher (Included as standard)	\$0.00	17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury	\$176.40
✓ 6A	Auxiliary Alarm Contact, Form A (Included as standard)	\$0.00	17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical	\$120.51
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter (included as standard)	\$0.00	17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical	\$148.32
✓ 10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00	17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury	\$144.90
10P	Mounting Post (Factory installed with 2.5" cord seal)	\$231.75	19F	Fourth Float to Separate Alarm Function from Lag	\$40.17
✓ 15A	Control/Alarm Circuit Breaker (Included as standard)	\$0.00	33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24	35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73
16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48			

For additional level control and control panel options, please contact  
Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

EZI CONTROL PANEL	S MODEL TYPE	1 ALARM PACKAGE	W ENCLOSURE RATING	1 STARTING DEVICE	PUMP FULL LOAD AMPS	4 PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	3A4A6A10E30A OPTIONS (LISTED BELOW)
CONTROL PANEL	✓ EZI							
MODEL TYPE	✓ S	Simplex (includes Options 3A4A6A10E30A as standard)				\$1,773.45		
ALARM PACKAGE	✓ 1	Alarm Package (includes test/silence switch, red light, & horn)				Base		
ENCLOSURE RATING	✓ W	Weatherproof, NEMA 4X (engineered thermoplastic)				Base		
STARTING DEVICE	✓ 1	120/208/240V				Base		
PUMP FULL LOAD AMPS		0 0 - 7 FLA				Base		
		1 7 - 15 FLA				Base		
		2 15 - 20 FLA				Base		
PUMP DISCONNECTS	✓ 4	Circuit Breaker				Base		
LEVEL CONTROL APPLICATION		X No Floats, Transmitter or Sensor				Base		
		C C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/or 4D for high water alarm and/or redundant off floats.				See Options		
		T Sub-X™ LT Transmitter (select Option 31) Select Option 3E and/or 4D for high water alarm and/or redundant off floats.				See Options		

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

**PRICING WORKSHEET**

EZI Simplex Base Price \$1,773.45  
Alarm Package \_\_\_\_\_  
Enclosure Rating \_\_\_\_\_  
Starting Device \_\_\_\_\_  
Pump Full Load Amps \_\_\_\_\_  
Pump Disconnects \_\_\_\_\_  
Level Control Application \_\_\_\_\_  
Total Options \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

OPTIONS	DESCRIPTION	LIST PRICE
✓ 3A	Alarm Flasher (Included as standard)	\$0.00
3E	High Water Alarm Float (must also select Option 17)	\$40.17
✓ 4A	Redundant Off (Included as standard)	\$0.00
4D	Redundant Off Float (must also select Option 17)	\$40.17
✓ 6A	Auxiliary Alarm Contact, Form A (Included as standard)	\$0.00
✓ 10E	Lockable Latch - NEMA 4X (Included as standard)	\$0.00
16E	50' Cord in Lieu of 20' Cord (per Float)	\$41.20
16G	100' Cord in Lieu of 20 Cord (per Float)	\$109.87
17G	20' SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00
17H	20' SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$9.27

For additional level control and control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

OPTIONS	DESCRIPTION	LIST PRICE
24E	C-Level™ CL40 Sensor with 25' Vented Cable	\$341.25
24F	C-Level™ CL40 Sensor with 50' Vented Cable	\$393.75
24P	C-Level™ CL40 Sensor with 100' Vented Cable	\$498.75
29A	C-Level™ CL100 Sensor with 25' Vented Cable	\$341.25
29B	C-Level™ CL100 Sensor with 50' Vented Cable	\$393.75
29C	C-Level™ CL100 Sensor with 100' Vented Cable	\$498.75
✓ 30A	Bluetooth® Wireless Module (included as standard)	\$0.00
31A	25' Sub-X™ LT Transmitter (4-20mA)	\$334.75
31B	50' Sub-X™ LT Transmitter (4-20mA)	\$386.25
31C	100' Sub-X™ LT Transmitter (4-20mA)	\$489.25

SENSOR/TRANSMITTER	OPERATING RANGE
C-Level™ CL40	0-39.9 inWC
C-Level™ CL100	0-99.9 inWC
Sub-X™ LT Transmitter (4-20mA)	0-100 inWC

**EZ SERIES® IN-SITE® Bluetooth® Single Phase Duplex** - Demand or timed dose, C-Level™ or Sub-X™ LT sensor controlled system for pump control and system monitoring with Bluetooth® wireless module.

EZI CONTROL PANEL	D MODEL TYPE	1 ALARM PACKAGE	W ENCLOSURE RATING	1 STARTING DEVICE	PUMP FULL LOAD AMPS	4 PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	3A4A6A10E30A OPTIONS (LISTED BELOW)
CONTROL PANEL	✓ EZI							
MODEL TYPE	✓ D	Duplex (includes Options 3A4A6A10E30A as standard)						EZI Duplex Base Price <u>\$1,921.50</u>
ALARM PACKAGE	✓ 1	Alarm Package (includes test/silence switch, red light, & horn)						Alarm Package _____
ENCLOSURE RATING	✓ W	Weatherproof, NEMA 4X (engineered thermoplastic)						Enclosure Rating _____
STARTING DEVICE	✓ 1	120/208/240V						Starting Device _____
		0 0 - 7 FLA						Pump Full Load Amps _____
		1 7 - 15 FLA						Pump Disconnects _____
		2 15 - 20 FLA						Level Control Application _____
PUMP DISCONNECTS	✓ 4	Circuit Breaker						Total Options _____
		X No Floats, Transmitter or Sensor						
LEVEL CONTROL APPLICATION		C C-Level™ Sensor (select Option 24 or 29) Select Option 3E and/or 4D for high water alarm and/or redundant off floats.						TOTAL LIST PRICE _____
		T Sub-X™ LT Transmitter (select Option 31). Select Option 3E and/or 4D for high water alarm and/or redundant off floats.						

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

OPTIONS	DESCRIPTION	LIST PRICE	OPTIONS	DESCRIPTION	LIST PRICE
✓ 3A	Alarm Flasher (Included as standard)	\$0.00	24E	C-Level™ CL40 Sensor with 25' Vented Cable	\$341.25
	3E High Water Alarm Float (must also select Option 17)	\$40.17	24F	C-Level™ CL40 Sensor with 50' Vented Cable	\$393.75
✓ 4A	Redundant Off (Included as standard)	\$0.00	24P	C-Level™ CL40 Sensor with 100' Vented Cable	\$498.75
	4D Redundant Off Float (must also select Option 17)	\$40.17	29A	C-Level™ CL100 Sensor with 25' Vented Cable	\$341.25
✓ 6A	Auxiliary Alarm Contact, Form A (Included as standard)	\$0.00	29B	C-Level™ CL100 Sensor with 50' Vented Cable	\$393.75
✓ 10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00	29C	C-Level™ CL100 Sensor with 100' Vented Cable	\$498.75
	16E 50' Cord in Lieu of 20' Cord (per Float)	\$41.20	✓ 30A	Bluetooth® Wireless Module (included as standard)	\$0.00
	16G 100' Cord in Lieu of 20 Cord (per Float)	\$109.87	31A	25' Sub-X™ LT Transmitter (4-20mA)	\$334.75
	17G 20' SJE MilliAmpMaster™ / Pipe Clamp (per Float) - Mechanical	\$0.00	31B	50' Sub-X™ LT Transmitter (4-20mA)	\$386.25
	17H 20' SJE MilliAmpMaster™ / Externally Weighted (per Float) - Mechanical	\$9.27	31C	100' Sub-X™ LT Transmitter (4-20mA)	\$489.25

For additional level control and control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

SENSOR/TRANSMITTER	OPERATING RANGE
C-Level™ CL40	0-39.9 inWC
C-Level™ CL100	0-99.9 inWC
Sub-X™ LT Transmitter (4-20mA)	0-100 inWC

**EZ SERIES® PLUGGER** - Provides convenient wiring connection for use with one single phase 120V or 230V pump in effluent and sewage installations.

EZP	MODEL TYPE	1	W	ENCLOSURE RATING	STARTING DEVICE	C	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	10E
CONTROL PANEL	<input checked="" type="checkbox"/>	EZP								OPTIONS (LISTED BELOW)
MODEL TYPE		1	120V (includes Option 10E as standard)				\$576.45			<b>BASE PRICE</b>
		2	240V (includes Option 10E as standard)				\$703.50			EZ Plugger 120V - \$576.45
ALARM PACKAGE	<input checked="" type="checkbox"/>	1	Alarm Package (includes test/normal/silence switch, red light, & horn)				Base			EZ Plugger 240V - \$703.50
ENCLOSURE RATING	<input checked="" type="checkbox"/>	W	Weatherproof, NEMA 4X (engineered thermoplastic)				Base			
STARTING DEVICE		2	SJE PumpMaster® Plus Pump Switch (0-15 FLA)				\$86.52			
		6	No Pump Switch				Base			
		7	120V Double Float® Master Pump Switch (0-15 FLA)				\$126.69			
		8	240V Double Float® Master Pump Switch (0-15 FLA)				\$126.69			
		A	SJE MicroMaster® Plus WS Pump Switch (0-13 FLA)				\$63.86			
PUMP FULL LOAD AMPS	<input checked="" type="checkbox"/>	C	0 - 15 FLA				Base			
PUMP DISCONNECTS		0	No Pump Disconnect				Base			
		4	Circuit Breaker	120V			\$44.29			
				240V			\$88.58			
LEVEL CONTROL APPLICATION		H	Floats - Pump Down (select Option 17 below)				See Options			
		X	No Floats, Transmitter or Sensor				Base			

**PRICING WORKSHEET**

**BASE PRICE**  
EZ Plugger 120V - \$576.45  
EZ Plugger 240V - \$703.50

EZ Plugger Base Price \_\_\_\_\_

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

Level Control Application \_\_\_\_\_

Total Options \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

OPTIONS	DESCRIPTION	LIST PRICE
6A	Auxiliary Alarm Contact, Form C	\$56.65
8G	ETM with Piggy-Back	\$120.51
<input checked="" type="checkbox"/> 10E	<b>Lockable Latch - NEMA 4X (included as standard)</b>	<b>\$0.00</b>
10P	Mounting Post (Factory installed, includes Cord Seal)	\$231.75

OPTIONS	DESCRIPTION	LIST PRICE
16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48
17A	SJE SignalMaster® / Pipe Clamp (Alarm Float Only) - Mechanical	\$43.26
22C	2" Hub Installed with Cord Seal	\$88.00
22F	Riser Mounting Kit	\$82.40

For additional level control and control panel options, please contact  
Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

Part #	Pre-configured Panels for Easy Ordering							List Price
1071427	IFN21W114X6A8AC10E							\$1,240.12
1071416	IFN21W114H6A8AC10E17G							\$1,360.63
IFN	2	1	W	1	PUMP FULL LOAD AMPS	4	LEVEL CONTROL APPLICATION	6A8AC10E
CONTROL PANEL	MODEL TYPE	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	OPTIONS (LISTED BELOW)
IFN	2	1	W	1	120/208/240V	4	6A8AC10E	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	IFN						
MODEL TYPE	✓	2	Single Phase Simplex (includes Options 6A, 8AC and 10E as standard)					IFS Simplex Base Price <u>\$1,240.12</u>
ALARM PACKAGE	✓	1	Alarm Package (includes test/silence switch, red light, & horn)					Alarm Package _____
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)					Enclosure Rating _____
STARTING DEVICE	✓	1	120/208/240V					Starting Device _____
PUMP FULL LOAD AMPS		0	0 - 7 FLA					Pump Full Load Amps _____
		1	7 - 15 FLA					Pump Disconnects _____
		2	15 - 20 FLA					Level Control Application _____
PUMP DISCONNECTS	✓	4	Circuit Breaker 120/208/240V					Total Options _____
LEVEL CONTROL APPLICATION		H	Floats - Pump Down (select Option 17 below) Timed dose = redundant off, timer enable, alarm / Demand dose = stop, start, alarm (all systems will ship with 3 floats by default)			See Options		
		E	EZconnex® Float Switch System			See Options		
		X	No Floats, Transmitter or Sensor			Base		
		C	C-Level™ Sensor (select Option 24 or 29)* Select Option 3E and/or 4D for high water alarm and/or redundant off floats			See Options		
		T	Sub-X™ LT Transmitter (select Option 31).* Select Option 3E and/or 4D for high water alarm and/or redundant off floats.			See Options		

## PRICING WORKSHEET

IFS Simplex Base Price \$1,240.12

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

Level Control Application \_\_\_\_\_

Total Options \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

**\*NOTE:** When using the Sub-X™ LT Transmitter or C-Level™ Sensor: Operation is for Pump down applications only.

Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

OPTIONS	DESCRIPTION	LIST PRICE
1J	Duo Alarm Inputs	\$41.20
3E	High Water Alarm Float (must also select Option 17)** <b>Only Available with Level Control Application = C or T</b>	\$40.17
4D	Redundant Off Float (must also select Option 17)** <b>Only Available with Level Control Application = C or T</b>	\$40.17
5AE	Thermal Cutout/Heat Sensor & Seal Failure Circuit (2 wire)	\$322.39
6A	Auxiliary Alarm Contact, Form A (included as standard)	\$0.00
8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter, and Override Counter (Timed Dose Only) (included as standard)	\$0.00
10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00
10F	Lightning Arrestor (must also select Option 15A)	\$309.00
10K	Anti-condensation Heater (must also select Option 15A)	\$149.35
10P	Panel Mounting Post - Factory Installed (max. enclosure size 14" x 12" x 6")	\$231.75
15A	Control/Alarm Circuit Breaker	\$97.85
16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48
16E	50' Cord in Lieu of 20' Cord (per Float)	\$24.72
16G	100' Cord in Lieu of 20 Cord (per Float)	\$65.92

OPTIONS	DESCRIPTION	LIST PRICE
17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury**	\$170.10
17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury**	\$176.40
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical**	\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical**	\$148.32
17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury**	\$144.90
19F	4th Float for Timer Override <b>Only Available with Level Control Application = H</b>	\$40.17
24E	C-Level™ CL40 Sensor with 25' Vented Cable	\$341.25
24F	C-Level™ CL40 Sensor with 50' Vented Cable	\$393.75
24P	C-Level™ CL40 Sensor with 100' Vented Cable	\$498.75
29A	C-Level™ CL100 Sensor with 25' Vented Cable	\$341.25
29B	C-Level™ CL100 Sensor with 50' Vented Cable	\$393.75
29C	C-Level™ CL100 Sensor with 100' Vented Cable	\$498.75
31A	Sub-X™ LT Transmitter 25' (4-20mA)	\$334.75
31B	Sub-X™ LT Transmitter 50' (4-20mA)	\$386.25
31C	Sub-X™ LT Transmitter 100' (4-20mA)	\$489.25
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

\*\*For 3E and 4D options, there is no charge when selecting any of the 17 options.

For additional level control and control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**Note:** Added options, voltage, and amp range selected may change enclosure size and enclosure features, and component layout. Schematic/Wiring Diagram and Pump Specification Label are located inside the panel.

SENSOR/TRANSMITTER	OPERATING RANGE
C-Level™ CL40	0-39.9 inWC
C-Level™ CL100	0-99.9 inWC
Sub-X™ LT Transmitter (4-20mA)	0-100 inWC

Part #	Pre-configured Panels for Easy Ordering	List Price
1071431	IFN41W114X6A8AC10E	\$1,588.26
1071430	IFN41W114H6A8AC10E17G	\$1,708.77

IFN	4	1	W	1	PUMP FULL LOAD AMPS	4	LEVEL CONTROL APPLICATION	6A8AC10E	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	IFN							
MODEL TYPE	✓	4	Single Phase Duplex (includes Options 6A, 8AC and 10E as standard)		\$1,588.26				IFS Duplex Base Price <u>\$1,588.26</u>
ALARM PACKAGE	✓	1	Alarm Package (includes test/silence switch, red light, & horn)		Base				Alarm Package <u>      </u>
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base				Enclosure Rating <u>      </u>
STARTING DEVICE	✓	1	120/208/240V		Base				Starting Device <u>      </u>
PUMP FULL LOAD AMPS		0	0 - 7 FLA		Base				Pump Full Load Amps <u>      </u>
		1	7 - 15 FLA		Base				Pump Disconnects <u>      </u>
		2	15 - 20 FLA		\$139.05				Level Control Application <u>      </u>
PUMP DISCONNECTS	✓	4	Circuit Breaker 120/208/240V		Base				Total Options <u>      </u>
LEVEL CONTROL APPLICATION		H	Floats - Pump Down (select Option 17 below) Timed dose = redundant off, timer enable, alarm / Demand dose = stop, start, alarm (all systems will ship with 3 floats by default)		See Options				<b>TOTAL LIST PRICE</b> <u>      </u>
		E	EZconnex® Float Switch System		See Options				
		X	No Floats, Transmitter or Sensor		Base				
		C	C-Level™ Sensor (select Option 24 or 29)* Select Option 3E and/or 4D for high water alarm and/or redundant off floats		See Options				
		T	Sub-X™ LT Transmitter (select Option 31).* Select Option 3E and/or 4D for high water alarm and/or redundant off floats.		See Options				

## PRICING WORKSHEET

IFS Duplex Base Price \$1,588.26  
 Alarm Package         
 Enclosure Rating         
 Starting Device         
 Pump Full Load Amps         
 Pump Disconnects         
 Level Control Application         
 Total Options         
**TOTAL LIST PRICE**       

**\*NOTE:** When using the Sub-X™ LT Transmitter or C-Level™ Sensor: Operation is for Pump down applications only.

Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

OPTIONS	DESCRIPTION	LIST PRICE
1J	Duo Alarm Inputs	\$41.20
3E	High Water Alarm Float (must also select Option 17)** <b>Only Available with Level Control Application = C or T</b>	\$40.17
4D	Redundant Off Float (must also select Option 17)** <b>Only Available with Level Control Application = C or T</b>	\$41.07
5AE	Thermal Cutout/Heat Sensor & Seal Failure Circuit (2 wire)	\$322.39
6A	Auxiliary Alarm Contact, Form A (included as standard)	\$0.00
8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter, and Override Counter (Timed Dose Only) (included as standard)	\$0.00
10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00
10F	Lightning Arrestor (must also select Option 15A)	\$309.00
10K	Anti-condensation Heater (must also select Option 15A)	\$149.35
10P	Panel Mounting Post - Factory Installed (max. enclosure size 14" x 12" x 6")	\$231.75
15A	Control/Alarm Circuit Breaker	\$97.85
16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48
16E	50' Cord in Lieu of 20' Cord (per Float)	\$24.72
16G	100' Cord in Lieu of 20 Cord (per Float)	\$65.92

OPTIONS	DESCRIPTION	LIST PRICE
17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury**	\$170.10
17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury**	\$176.40
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical**	\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical**	\$148.32
17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury**	\$144.90
19F	4th Float for Timer Override <b>Only Available with Level Control Application = H</b>	\$40.17
24E	C-Level™ CL40 Sensor with 25' Vented Cable	\$341.25
24F	C-Level™ CL40 Sensor with 50' Vented Cable	\$393.75
24P	C-Level™ CL40 Sensor with 100' Vented Cable	\$498.75
29A	C-Level™ CL100 Sensor with 25' Vented Cable	\$341.25
29B	C-Level™ CL100 Sensor with 50' Vented Cable	\$393.75
29C	C-Level™ CL100 Sensor with 100' Vented Cable	\$498.75
31A	Sub-X™ LT Transmitter 25' (4-20mA)	\$334.75
31B	Sub-X™ LT Transmitter 50' (4-20mA)	\$386.25
31C	Sub-X™ LT Transmitter 100' (4-20mA)	\$489.25
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

\*\*For 3E and 4D options, there is no charge when selecting any of the 17 options.

For additional level control and control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**Note:** Added options, voltage, and amp range selected may change enclosure size and enclosure features, and component layout. Schematic/Wiring Diagram and Pump Specification Label are located inside the panel.

SENSOR/TRANSMITTER	OPERATING RANGE
C-Level™ CL40	0-39.9 inWC
C-Level™ CL100	0-99.9 inWC
Sub-X™ LT Transmitter (4-20mA)	0-100 inWC

IFN CONTROL PANEL	5 MODEL TYPE	1 ALARM PACKAGE	W ENCLOSURE RATING	PUMP FULL LOAD AMPS	LEVEL CONTROL APPLICATION	6A8AC10E OPTIONS (LISTED BELOW)
CONTROL PANEL	✓ IFN					
MODEL TYPE	✓ 5	Three Phase Simplex (includes Option 6A, 8AC and 10E as standard)		\$2,359.73		
ALARM PACKAGE	✓ 1	Alarm Package (includes test/silence switch, red light, & horn)		Base		
ENCLOSURE RATING	✓ W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base		
		208/240/480V	600V			
PUMP FULL LOAD AMPS	001	1.0 - 1.6 FLA	005	1.0 - 1.6 FLA	Base	
	101	1.6 - 2.5 FLA	105	1.6 - 2.5 FLA	Base	
	201	2.5 - 4.0 FLA	205	2.5 - 4.0 FLA	Base	
	301	4.0 - 6.3 FLA	305	4.0 - 6.3 FLA	Base	
	401	6.0 - 10.0 FLA	405	6.0 - 10.0 FLA	Base	
	511	9.0 - 14.0 FLA	515	9.0 - 14.0 FLA	\$63.86	
	611	13.0 - 18.0 FLA	615	13.0 - 18.0 FLA	\$63.86	
	621	17.0 - 23.0 FLA	625	17.0 - 23.0 FLA	\$78.28	
	701	20.0 - 25.0 FLA	705	20.0 - 25.0 FLA	\$78.28	
LEVEL CONTROL APPLICATION	H	FLOATS - Pump Down (select Option 17 below) Timed dose = redundant off, timer enable, alarm / Demand dose = stop, start, alarm (all systems will ship with 3 floats by default)		See Options		
	E	EZconnex® Float Switch System		See Options		
	X	No Floats, Transmitter or Sensor		Base		
	C	C-Level™ Sensor (select Option 24 or 29)* Select Option 3E and/or 4D for high water alarm and/or redundant off floats		See Options		
	T	Sub-X™ LT Transmitter (select Option 31).* Select Option 3E and/or 4D for high water alarm and/or redundant off floats.		See Options		

## PRICING WORKSHEET

IFS Three Phase Simplex Base Price \$2,359.73  
 Alarm Package \_\_\_\_\_  
 Enclosure Rating \_\_\_\_\_  
 Pump Full Load Amps \_\_\_\_\_  
 Level Control Application \_\_\_\_\_  
 Total Options \_\_\_\_\_  
 TOTAL LIST PRICE \_\_\_\_\_

**\*NOTE:** When using the Sub-X™ LT Transmitter or C-Level™ Sensor: Operation is for Pump down applications only.

Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

OPTIONS	DESCRIPTION	LIST PRICE	OPTIONS	DESCRIPTION	LIST PRICE
3E	High Water Alarm Float (must also select Option 17)** Only Available with Level Control Application = C or T	\$40.17	17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical**	\$120.51
4D	Redundant Off Float (must also select Option 17)** Only Available with Level Control Application = C or T	\$40.17	17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical**	\$148.32
5AE	Thermal Cutout/Heat Sensor & Seal Failure Circuit (2 wire)	\$322.39	17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury**	\$144.90
✓ 6A	Auxiliary Alarm Contact, Form A (included as standard)	\$0.00	19F	4th Float for Timer Override Only Available with Level Control Application = H	\$40.17
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter, and Override Counter (Timed Dose Only) (included as standard)	\$0.00	24E	C-Level™ CL40 Sensor with 25' Vented Cable	\$341.25
✓ 10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00	24F	C-Level™ CL40 Sensor with 50' Vented Cable	\$393.75
10G	Lightning Arrestor	\$309.00	24P	C-Level™ CL40 Sensor with 100' Vented Cable	\$498.75
10K	Anti-condensation Heater	\$149.35	29A	C-Level™ CL100 Sensor with 25' Vented Cable	\$341.25
16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24	29B	C-Level™ CL100 Sensor with 50' Vented Cable	\$393.75
16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48	29C	C-Level™ CL100 Sensor with 100' Vented Cable	\$498.75
16E	50' Cord in Lieu of 20' Cord (per Float)	\$24.72	31A	Sub-X™ LT Transmitter 25' (4-20mA)	\$334.75
16G	100' Cord in Lieu of 20 Cord (per Float)	\$65.92	31B	Sub-X™ LT Transmitter 50' (4-20mA)	\$386.25
17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury**	\$170.10	31C	Sub-X™ LT Transmitter 100' (4-20mA)	\$489.25
17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury**	\$176.10	33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
			35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

\*\*For 3E and 4D options, there is no charge when selecting any of the 17 options.

For additional level control and control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**Note:** Added options, voltage, and amp range selected may change enclosure size and enclosure features, and component layout. Schematic/Wiring Diagram and Pump Specification Label are located inside the panel.

SENSOR/TRANSMITTER	OPERATING RANGE
C-Level™ CL40	0-39.9 inWC
C-Level™ CL100	0-99.9 inWC
Sub-X™ LT Transmitter (4-20mA)	0-100 inWC

IFN CONTROL PANEL	6 MODEL TYPE	1 ALARM PACKAGE	W ENCLOSURE RATING	PUMP FULL LOAD AMPS	LEVEL CONTROL APPLICATION	6A8AC10E OPTIONS (LISTED BELOW)
CONTROL PANEL	✓ IFN					
MODEL TYPE	✓ 6	Three Phase Duplex (includes Option 6A, 8AC and 10E as standard)		\$3,102.36		
ALARM PACKAGE	✓ 1	Alarm Package (includes test/silence switch, red light, & horn)		Base		
ENCLOSURE RATING	✓ W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base		
PUMP FULL LOAD AMPS	208/240/480V		600V			
	001	1.0 - 1.6 FLA	005	1.0 - 1.6 FLA	Base	
	101	1.6 - 2.5 FLA	105	1.6 - 2.5 FLA	Base	
	201	2.5 - 4.0 FLA	205	2.5 - 4.0 FLA	Base	
	301	4.0 - 6.3 FLA	305	4.0 - 6.3 FLA	Base	
	401	6.0 - 10.0 FLA	405	6.0 - 10.0 FLA	Base	
	511	9.0 - 14.0 FLA	515	9.0 - 14.0 FLA	\$86.52	
	611	13.0 - 18.0 FLA	615	13.0 - 18.0 FLA	\$86.52	
	621	17.0 - 23.0 FLA	625	17.0 - 23.0 FLA	\$114.33	
	701	20.0 - 25.0 FLA	705	20.0 - 25.0 FLA	\$114.33	
LEVEL CONTROL APPLICATION	H	Floats - Pump Down (select Option 17 below) Timed dose = redundant off, timer enable, alarm / Demand dose = stop, start, alarm (all systems will ship with 3 floats by default)		See Options		
	E	EZconnex® Float Switch System		See Options		
	X	No Floats, Transmitter or Sensor		Base		
	C	C-Level™ Sensor (select Option 24 or 29)* Select Option 3E and/or 4D for high water alarm and/or redundant off floats		See Options		
	T	Sub-X™ LT Transmitter (select Option 31).* Select Option 3E and/or 4D for high water alarm and/or redundant off floats.		See Options		

## PRICING WORKSHEET

IFS Three Phase Duplex Base Price	\$3,102.36
Alarm Package	
Enclosure Rating	
Pump Full Load Amps	
Level Control Application	
Total Options	
<b>TOTAL LIST PRICE</b>	

\*NOTE: When using the Sub-X™ LT Transmitter or C-Level™ Sensor: Operation is for Pump down applications only.

Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

OPTIONS	DESCRIPTION	LIST PRICE
3E	High Water Alarm Float (must also select Option 17)** <b>Only Available with Level Control Application = C or T</b>	\$40.17
4D	Redundant Off Float (must also select Option 17)** <b>Only Available with Level Control Application = C or T</b>	\$40.17
5AE	Thermal Cutout/Heat Sensor & Seal Failure Circuit (2 wire)	\$322.39
✓ 6A	Auxiliary Alarm Contact, Form A (included as standard)	\$0.00
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter, and Override Counter (Timed Dose Only) (included as standard)	\$0.00
✓ 10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00
10G	Lightning Arrestor	\$309.00
10K	Anti-condensation Heater	\$149.35
16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48
16E	50' Cord in Lieu of 20' Cord (per Float)	\$24.72
16G	100' Cord in Lieu of 20 Cord (per Float)	\$65.92
17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury**	\$170.10
17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury**	\$176.40

OPTIONS	DESCRIPTION	LIST PRICE
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical**	\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical**	\$148.32
17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury**	\$144.90
19F	4th Float for Timer Override <b>Only Available with Level Control Application = H</b>	\$40.17
24E	C-Level™ CL40 Sensor with 25' Vented Cable	\$341.25
24F	C-Level™ CL40 Sensor with 50' Vented Cable	\$393.75
24P	C-Level™ CL40 Sensor with 100' Vented Cable	\$498.75
29A	C-Level™ CL100 Sensor with 25' Vented Cable	\$393.75
29B	C-Level™ CL100 Sensor with 50' Vented Cable	\$393.75
29C	C-Level™ CL100 Sensor with 100' Vented Cable	\$498.75
31A	Sub-X™ LT Transmitter 25' (4-20mA)	\$334.75
31B	Sub-X™ LT Transmitter 50' (4-20mA)	\$386.25
31C	Sub-X™ LT Transmitter 100' (4-20mA)	\$489.25
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

\*\*For 3E and 4D options, there is no charge when selecting any of the 17 options.

For additional level control and control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**Note:** Added options, voltage, and amp range selected may change enclosure size and enclosure features, and component layout. Schematic/Wiring Diagram and Pump Specification Label are located inside the panel.

SENSOR/TRANSMITTER	OPERATING RANGE
C-Level™ CL40	0-39.9 inWC
C-Level™ CL100	0-99.9 inWC
Sub-X™ LT Transmitter (4-20mA)	0-100 inWC

**INSTALLER FRIENDLY SERIES® SINGLE PHASE SIMPLEX CAPACITOR (START/RUN)** - Demand or timed dose system for pump control and system monitoring.

**\*NOTE:** When using the Sub-X™ LT Transmitter or C-Level™ Sensor: Operation is for Pump down applications only.

Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

Start/run capacitor kits must be ordered separately (see Option 12 below or call factory).

OPTIONS	DESCRIPTION	LIST PRICE	OPTIONS	DESCRIPTION	LIST PRICE
3E	High Water Alarm Float (must also select Option 17)** <b>Only Available with Level Control Application = C or T</b>	\$40.17	16E	50' Cord in Lieu of 20' Cord (per Float)	\$24.72
4D	Redundant Off Float (must also select Option 17)** <b>Only Available with Level Control Application = C or T</b>	\$40.17	16G	100' Cord in Lieu of 20 Cord (per Float)	\$65.92
5AE	Thermal Cutout/Heat Sensor & Seal Failure Circuit (2 wire)	\$322.39	17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury**	\$170.10
✓ 6A	Auxiliary Alarm Contact, Form A (included as standard)	\$0.00	17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury**	\$176.40
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter (included as standard)	\$0.00	17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical**	\$120.51
9_A	Pump Overload - Specify Amperage after Number 9 Followed by Letter 'A' (must select Option 15A) Example: 912A = 12 amp pump	0 - 30 FLA	17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical**	\$148.32
		30 - 40 FLA	17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury**	\$144.90
✓ 10E	Lockable Latch - NEMA 4X (included as standard)	\$0.00	19F	4th Float for Timer Override <b>Only Available with Level Control Application = H</b>	\$40.17
10F	Lightning Arrestor (must select Option 15A)	\$309.00	24E	C-Level™ CL40 Sensor with 25' Vented Cable	\$341.25
10K	Anti-condensation Heater (must select Option 15A)	\$149.35	24F	C-Level™ CL40 Sensor with 50' Vented Cable	\$393.75
12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	Call Factory	24P	C-Level™ CL40 Sensor with 100' Vented Cable	\$498.75
12C	Motor Start Components Mounted and Supplied by SJE Rhombus	Call Factory	29A	C-Level™ CL100 Sensor with 25' Vented Cable	\$341.25
15A	Control/Alarm Circuit Breaker	\$97.85	29B	C-Level™ CL100 Sensor with 50' Vented Cable	\$393.75
16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24	29C	C-Level™ CL100 Sensor with 100' Vented Cable	\$498.75
16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48	31A	Sub-X™ LT Transmitter 25' (4-20mA)	\$334.75
			31B	Sub-X™ LT Transmitter 50' (4-20mA)	\$386.25
			31C	Sub-X™ LT Transmitter 100' (4-20mA)	\$498.25
			33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
			35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

**\*\*For 3E and 4D options, there is no charge when selecting any of the 17 options.**

For additional level control and control panel options, please contact Technical Support at [techsupport@sieinc.com](mailto:techsupport@sieinc.com).

**Note:** Added options, voltage, and amp range selected may change enclosure size and enclosure features, and component layout. Schematic/Wiring Diagram and Pump Specification Label are located inside the panel.

SENSOR/TRANSMITTER	OPERATING RANGE
C-Level™ CL40	0-39.9 inWC
C-Level™ CL100	0-99.9 inWC
Sub-X™ LT Transmitter (4-20mA)	0-100 inWC



IFN CONTROL PANEL	8 MODEL TYPE	1 ALARM PACKAGE	W ENCLOSURE RATING	1 STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	6A8AC10E OPTIONS (LISTED BELOW)
CONTROL PANEL	✓ IFN							
MODEL TYPE	✓ 8	Single Phase Duplex Capacitor (includes Option 6A, 8AC, and 10E as standard)			\$2,638.86			
ALARM PACKAGE	✓ 1	Alarm Package (includes test/silence switch, red light, & horn)			Base			
ENCLOSURE RATING	✓ W	Weatherproof, NEMA 4X (engineered thermoplastic)			Base			
STARTING DEVICE	✓ 1	120/208/240V IEC Motor Contactor			Base			
PUMP FULL LOAD AMPS	0	0 - 7 FLA			Base			
	1	7 - 15 FLA			Base			
	2	15 - 20 FLA			\$139.05			
	3	20 - 30 FLA			\$167.89			
	4	30 - 40 FLA			\$200.85			
PUMP DISCONNECTS	4	Circuit Breaker			Base			
LEVEL CONTROL APPLICATION	H	Floats - Pump Down (select Option 17 below) Timed dose = redundant off, timer enable, alarm / Demand dose = stop, start, alarm (all systems will ship with 3 floats by default)			See Options			
	E	EZconnex® Float Switch System			See Options			
	X	No Floats, Transmitter or Sensor			Base			
	C	C-Level™ Sensor (select Option 24 or 29)* Select Option 3E and/or 4D for high water alarm and/or redundant off floats. Pump down applications only.			See Options			
	T	Sub-X™ LT Transmitter (select Option 31).* Select Option 3E and/or 4D for high water alarm and/or redundant off floats.			See Options			

**PRICING WORKSHEET**

IFS Single Phase Duplex Capacitor	
Base Price	\$2,638.86
Alarm Package	
Enclosure Rating	
Starting Device	
Pump Full Load Amps	
Pump Disconnects	
Level Control Application	
Total Options	
<b>TOTAL LIST PRICE</b>	

\*NOTE: When using the Sub-X™ LT Transmitter or C-Level™ Sensor: Operation is for Pump down applications only.

Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off.

**Start/run capacitor kits must be ordered separately (see Option 12 below or call factory).**

OPTIONS	DESCRIPTION	LIST PRICE
3E	High Water Alarm Float (must also select Option 17)** <b>Only Available with Level Control Application = C or T</b>	\$40.17
4D	Redundant Off Float (must also select Option 17)** <b>Only Available with Level Control Application = C or T</b>	\$40.17
5AE	Thermal Cutout/Heat Sensor & Seal Failure Circuit (2 wire)	\$322.39
✓ 6A	<b>Auxiliary Alarm Contact, Form A (included as standard)</b>	<b>\$0.00</b>
✓ 8AC	<b>Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter and Lead/Lag Selector (included as standard)</b>	<b>\$0.00</b>
9_A	Pump Overload - Specify Amperage after Number 9 Followed by Letter "A" (must select Option 15A) Example: 912A - 12 amp pump	0 - 30 FLA \$87.55
		30 - 40 FLA \$293.55
✓ 10E	<b>Lockable Latch - NEMA 4X (included as standard)</b>	<b>\$0.00</b>
10F	Lightning Arrestor (must select Option 15A)	\$309.00
10K	Anti-condensation Heater (must select Option 15A)	\$149.35
12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	Call Factory
12C	Motor Start Components, Mounted and Supplied by SJE Rhombus	Call Factory
15A	Control/Alarm Circuit Breaker	\$97.85
16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48

OPTIONS	DESCRIPTION	LIST PRICE
16E	50' Cord in Lieu of 20' Cord (per Float)	\$24.72
16G	100' Cord in Lieu of 20 Cord (per Float)	\$65.92
17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury**	\$170.10
17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury**	\$176.40
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical**	\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical**	\$148.32
17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury**	\$144.90
19F	4th Float for Timer Override <b>Only Available with Level Control Application = H</b>	\$40.17
24E	C-Level™ CL40 Sensor with 25' Vented Cable	\$341.25
24F	C-Level™ CL40 Sensor with 50' Vented Cable	\$393.75
24P	C-Level™ CL40 Sensor with 100' Vented Cable	\$498.75
29A	C-Level™ CL100 Sensor with 25' Vented Cable	\$341.25
29B	C-Level™ CL100 Sensor with 50' Vented Cable	\$393.75
29C	C-Level™ CL100 Sensor with 100' Vented Cable	\$498.75
31A	Sub-X™ LT Transmitter 25' (4-20mA)	\$334.75
31B	Sub-X™ LT Transmitter 50' (4-20mA)	\$386.25
31C	Sub-X™ LT Transmitter 100' (4-20mA)	\$498.25
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

\*\*For 3E and 4D options, there is no charge when selecting any of the 17 options.

For additional level control and control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**Note:** Added options, voltage, and amp range selected may change enclosure size and enclosure features, and component layout. Schematic/Wiring Diagram and Pump Specification Label are located inside the panel.

California Prop 65 requires the following:  **WARNING** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

**INSTALLER FRIENDLY SERIES® IN-SITE® SINGLE PHASE SIMPLEX** - Demand or timed dose float controlled system for pump control, system monitoring, event logging and reporting.

IFI CONTROL PANEL	MODEL TYPE	1 ALARM PACKAGE	W ENCLOSURE RATING	1 STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	8AC10E OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	IFI						
MODEL TYPE		1	Simplex Timed Dose (includes Option 8AC as standard)		\$2,798.51			<b>BASE PRICE</b>
		2	Simplex Demand Dose (includes Option 8AC as standard)		\$2,838.68			Simplex Timed Dose - \$2,798.51 Simplex Demand Dose - \$2,838.68
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)		Base			IFI Simplex Base Price _____
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base			Alarm Package _____
STARTING DEVICE	✓	1	120/208/240V		Base			Enclosure Rating _____
PUMP FULL LOAD AMPS		0	0 - 7 FLA		Base			Starting Device _____
		1	7 - 15 FLA		Base			Pump Full Load Amps _____
		2	15 - 20 FLA		\$114.33			Pump Disconnects _____
PUMP DISCONNECTS		0	No Pump Disconnect		Base			Level Control Application _____
		4	Circuit Breaker 120/208/240V		\$92.70			Total Options _____
LEVEL CONTROL APPLICATION		H	FLOATS - Pump Down (select Option 17 below) Timed dose = timer enable and alarm / Demand dose = stop, start, and alarm		See Options			<b>TOTAL LIST PRICE</b> _____
		E	EZconnex® Float Switch System		See Options			
		X	No Floats or Sensor		Base			
		C	C-Level™ Sensor (select Option 24 or 29)* Select Option 3E and/or 4A & 4D for high water alarm and/or redundant off floats		See Options			

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off when using the C-Level™ sensor.

OPTIONS	DESCRIPTION	LIST PRICE	OPTIONS	DESCRIPTION	LIST PRICE	
1J	Duo Alarm Inputs	\$41.20	17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury**	\$170.10	
3E	High Water Alarm Float (must also select Option 17)** <b>Only Available with Level Control Application = C</b>	\$40.17	17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury**	\$176.40	
4A	Redundant Off (must also select Option 4D if floats are required)	\$0.00	17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical**	\$120.51	
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$40.17	17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical**	\$148.32	
6A	Auxiliary Alarm Contact, Form C	\$56.65	17J	Sensor Float® / Pipe Clamp (per Float) - Mercury	\$144.90	
✓	8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter, and Override Counter (Timed Dose Only) (included as standard)	\$0.00	18A	Timer Override Float (Timed Dose Float Panel Only)	\$40.17
✓	10E	Lockable Latch - NEMA 4X	\$0.00	24E	C-Level™ CL40 Sensor with 25' Vented Cable	\$341.25
	10F	Lightning Arrestor (select pump circuit breaker, control and alarm power combined)	\$309.00	24F	C-Level™ CL40 Sensor with 50' Vented Cable	\$393.75
	10K	Anti-condensation Heater (must select if operating temperature is colder than 0 degrees F or -18 degrees C)	\$149.35	24P	C-Level™ CL40 Sensor with 100' Vented Cable	\$498.75
	15A	Control/Alarm Circuit Breaker	\$97.85	24X	No C-Level™ CL40 Sensor	\$0.00
	16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24	29A	C-Level™ CL100 Sensor with 25' Vented Cable	\$341.25
	16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48	29B	C-Level™ CL100 Sensor with 50' Vented Cable	\$393.75
			29C	C-Level™ CL100 Sensor with 100' Vented Cable	\$498.75	
			29X	No C-Level™ CL100 Sensor	\$0.00	
			33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27	
			35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73	

For additional level control and control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

\*For Timed Dose models, the base price is adjusted as it is a two float system.

\*\*For 3E options, there is no charge when selecting any of the 17 options.

**INSTALLER FRIENDLY SERIES® IN-SITE® SINGLE PHASE DUPLEX** - Demand or timed dose float controlled system for pump control, system monitoring, event logging and reporting.

IFI CONTROL PANEL	MODEL TYPE	1 ALARM PACKAGE	W ENCLOSURE RATING	1 STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	8AC10E OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	IFI						
MODEL TYPE		3	Duplex Timed Dose (includes Option 8AC as standard)		\$2,915.93			<b>BASE PRICE</b>
		4	Duplex Demand Dose (includes Option 8AC as standard)		\$2,956.10			Duplex Timed Dose - \$2,915.93
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)		Base			Duplex Demand Dose - \$2,956.10
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base			<b>IFI Duplex Base Price</b> _____
STARTING DEVICE	✓	1	120/208/240V		Base			Alarm Package _____
PUMP FULL LOAD AMPS		0	0 - 7 FLA		Base			Enclosure Rating _____
		1	7 - 15 FLA		Base			Starting Device _____
		2	15 - 20 FLA		\$139.05			Pump Full Load Amps _____
PUMP DISCONNECTS		0	No Pump Disconnect		Base			Pump Disconnects _____
		4	Circuit Breaker(s) 120/208/240V		\$185.40			Level Control Application _____
LEVEL CONTROL APPLICATION		H	Floats - Pump Down (select Option 17 below) Timed dose = timer enable and alarm / Demand dose = stop, start, and alarm		See Options			Total Options _____
		E	EZconnex® Float Switch System		See Options			<b>TOTAL LIST PRICE</b> _____
		X	No Floats or Sensor		Base			
		C	C-Level™ Sensor (select Option 24 or 29)* Select Option 3E and/or 4A & 4D for high water alarm and/or redundant off floats		See Options			

**NOTE:** Pump down applications only. Industry practices suggest that a secondary device, such as a float switch, be used for redundant activation of the high level alarm and pump shut off when using the C-Level™ sensor.

OPTIONS	DESCRIPTION	LIST PRICE
1J	Duo Alarm Inputs	\$41.20
3E	High Water Alarm Float (must also select Option 17)** <b>Only Available with Level Control Application = C</b>	\$40.17
4A	Redundant Off (must also select Option 4D if floats are required)	\$0.00
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$40.17
6A	Auxiliary Alarm Contact, Form C	\$56.65
✓ 8AC	Display Board - Includes: ETM Counter, Events (Cycles) Counter, Alarm Counter, Override Counter (Timed Dose Only), and Lead/Lag Selector (Demand Dose Only) (included as standard)	\$0.00
✓ 10E	Lockable Latch - NEMA 4X	\$0.00
10F	Lightning Arrestor (select pump circuit breakers, control and alarm power combined)	\$309.00
10K	Anti-condensation Heater (must select if operating temperature is colder than 0 degrees F or -18 degrees C)	\$149.35
15A	Control/Alarm Circuit Breaker	\$97.85
16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48

OPTIONS	DESCRIPTION	LIST PRICE
17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury	\$170.10
17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury	\$176.40
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical	\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical	\$148.32
17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury	\$140.90
18A	Timer Override Float (Timed Dose Float Panel Only)	\$40.17
19F	Fourth Float to Separate Alarm Function from Lag (Demand Dose Float Panel Only)	\$40.17
24E	C-Level™ CL40 Sensor with 25' Vented Cable	\$341.25
24F	C-Level™ CL40 Sensor with 50' Vented Cable	\$393.75
24P	C-Level™ CL40 Sensor with 100' Vented Cable	\$498.75
24X	No C-Level™ CL40 Sensor	\$0.00
29A	C-Level™ CL100 Sensor with 25' Vented Cable	\$341.25
29B	C-Level™ CL100 Sensor with 50' Vented Cable	\$393.75
29C	C-Level™ CL100 Sensor with 100' Vented Cable	\$498.75
29X	No C-Level™ CL100 Sensor	\$0.00
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

For additional level control and control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

\*For TImed Dose models, the base price is adjusted as it is a two float system.

\*\*For 3E options, there is no charge when selecting any of the 17 options.

**PRICING WORKSHEET**

**BASE PRICE**

Duplex Timed Dose - \$2,915.93

Duplex Demand Dose - \$2,956.10

IFI Duplex Base Price \_\_\_\_\_

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

Level Control Application \_\_\_\_\_

Total Options \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

Part #	Description	VAC	FLA	List Price
1018134	IFS Drip Panel	120/208/240V	7-15	\$2,332.92
1021573	IFS Drip Panel with Pressure Switch	120V	7-15	\$2,452.80
1021563	IFS Drip Panel with Pressure Switch	120/208/240V	7-15	\$2,515.39

## NEX SERIES® SINGLE PHASE SIMPLEX - Single phase, simplex motor control.

Part #	Description (without Elapsed Time Meter)	Amps	Shipping Weight	List Price
1046436	NEX Series® Simplex, 120/208/240V, (3) 20' SJE SignalMaster® Switches	0-12	9 lbs.	\$722.47
1047662	NEX Series® Simplex, 120/208/240V, No Floats	0-12	5 lbs.	\$640.78
1054597	NEX Series® Simplex, 120/208/240V, EZconnex® 3-Port, 50' with (3) 10' Floats ♦	0-12	13.6 lbs.	\$1,051.35
1046437	NEX Series® Simplex, 120/208/240V, (3) 20' SJE SignalMaster® Switches	9-20	9 lbs.	\$722.47
1047663	NEX Series® Simplex, 120/208/240V, No Floats	9-20	5 lbs.	\$640.78
1054598	NEX Series® Simplex, 120/208/240V, EZconnex® 3-Port, 50' with (3) 10' Floats ♦	9-20	13.6 lbs.	\$1,051.35
Part #	Description (with Elapsed Time Meter)	Amps	Shipping Weight	List Price
1053452	NEX Series® Simplex, 120/208/240V, with ETM, (3) 20' SJE SignalMaster® Switches	0-12	9 lbs.	\$822.20
1053454	NEX Series® Simplex, 120/208/240V, with ETM, No Floats	0-12	5 lbs.	\$740.51
1055708	NEX Series® Simplex, 120/208/240V, with ETM, EZconnex® 3-Port, 50' with (3) 10' Floats ♦	0-12	13.6 lbs.	\$1,151.08
1053453	NEX Series® Simplex, 120/208/240V, with ETM, (3) 20' SJE SignalMaster® Switches	9-20	9 lbs.	\$822.20
1053455	NEX Series® Simplex, 120/208/240V, with ETM, No Floats	9-20	5 lbs.	\$740.51
1055709	NEX Series® Simplex, 120/208/240V, with ETM, EZconnex® 3-Port, 50' with (3) 10' Floats ♦	9-20	13.6 lbs.	\$1,151.08

♦ All EZconnex® float switches are normally open with pipe clamp.

## NEX SERIES® SINGLE PHASE DUPLEX - Single phase, duplex motor control.

Part #	Description (without Elapsed Time Meter)	Amps	Shipping Weight	List Price
1051630	NEX Series® Duplex, 120/208/240V, (4) 20' SJE SignalMaster Switches	0-12	14 lbs.	\$1,327.19
1051631	NEX Series® Duplex, 120/208/240V, (3) 20' SJE SignalMaster Switches	0-12	12 lbs.	\$1,281.57
1051632	NEX Series® Duplex, 120/208/240V, No Floats	0-12	9 lbs.	\$1,144.71
1051633	NEX Series® Duplex, 120/208/240V, (4) 20' SJE SignalMaster Switches	9-20	14 lbs.	\$1,327.19
1051634	NEX Series® Duplex, 120/208/240V, (3) 20' SJE SignalMaster Switches	9-20	12 lbs.	\$1,281.57
1051635	NEX Series® Duplex, 120/208/240V, No Floats	9-20	9 lbs.	\$1,144.71
Part #	Description (with Elapsed Time Meter)	Amps	Shipping Weight	List Price
1053263	NEX Series® Duplex, 120/208/240V, with ETM, (4) 20' SJE SignalMaster Switches	0-12	14 lbs.	\$1,477.83
1053264	NEX Series® Duplex, 120/208/240V, with ETM, (3) 20' SJE SignalMaster Switches	0-12	12 lbs.	\$1,229.58
1053265	NEX Series® Duplex, 120/208/240V, with ETM, No Floats	0-12	9 lbs.	\$1,295.36
1053266	NEX Series® Duplex, 120/208/240V, with ETM, (4) 20' SJE SignalMaster Switches	9-20	14 lbs.	\$1,477.83
1053267	NEX Series® Duplex, 120/208/240V, with ETM, (3) 20' SJE SignalMaster Switches	9-20	12 lbs.	\$1,432.22
1053268	NEX Series® Duplex, 120/208/240V, with ETM, No Floats	9-20	9 lbs.	\$1,295.36
Part #	Description (with EZconnex® 4-Port System)	Amps	Shipping Weight	List Price
1055737	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 25' with (3) 10' Floats with Plug ♦	0-12	19 lbs.	\$1,609.39
1055738	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 50' with (3) 10' Floats with Plug ♦	0-12	22 lbs.	\$1,668.80
1055739	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 25' with (4) 10' Floats ♦	0-12	20 lbs.	\$1,658.19
1055741	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 25' with (3) 10' Floats with Plug ♦	9-20	19 lbs.	\$1,609.39
1055743	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 25' with (4) 10' Floats ♦	9-20	20 lbs.	\$1,658.19
1055744	NEX Series® Duplex, 120/208/240V, EZconnex® 4-Port, 50' with (4) 10' Floats ♦	9-20	23 lbs.	\$1,717.60

♦ All EZconnex® float switches are normally open with pipe clamp.

115	1	W	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	115	Single Phase Simplex				\$739.54
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, horn & float)				Base
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)				Base
STARTING DEVICE	2	SJE PumpMaster® Plus Pump Switch (0-15 FLA) - Mechanical					\$86.52
	3	120V Double Float® Pump Switch (0-15 FLA) - Mercury					\$143.17
	4	240V Double Float® Pump Switch (0-12 FLA) - Mercury					\$143.17
	6	No Pump Switch					Base
	7	120V Double Float® Master Pump Switch (0-15 FLA) - Mechanical					\$126.69
	8	240V Double Float® Master Pump Switch (0-15 FLA) - Mechanical					\$126.69
PUMP FULL LOAD AMPS	0	0 - 7 FLA					Base
	1	7 - 15 FLA					Base
PUMP DISCONNECTS	0	No Pump Disconnect					Base
	4	Circuit Breaker					\$92.70
LEVEL CONTROL APPLICATION	H	Floats - Pump Down (select Option 17 below)				See Options	
	X	No Floats					Base

PRICING WORKSHEET

Model 115 Base Price \$739.54

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

Level Control Application \_\_\_\_\_

Total Options \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

OPTIONS	DESCRIPTION	LIST PRICE
6A	Auxiliary Alarm Contact, Form C	\$56.65
8A	Elapsed Time Meter (120V)	\$108.15
8B	Elapsed Time Meter (240V)	\$185.40
10E	Lockable Latch - NEMA 4X / NEMA 1	\$56.65
10P	Panel Mounting Post - Factory Installed, Includes Simplex Installation Kit (Enclosure Upsized to 10x8x6, Max 14x12x6)	\$231.75

For additional control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

OPTIONS	DESCRIPTION	LIST PRICE
16C	30' Cord in Lieu of 20' Cord (per Float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per Float)	\$16.48
17A	SJE SignalMaster® / Pipe Clamp (Alarm Float Only) - Mechanical	\$43.26
17E	Sensor Float® Mini / Pipe Clamp (Alarm Float Only) - Mercury	\$50.40
17J	Sensor Float® / Pipe Clamp (Alarm Float Only) - Mercury	\$50.40
19U	HOA (Hand/Off/Automatic) Switch and Pump Run Light through Door Mounted	\$108.15
19X	Door Mounted Pump Run Indicator	\$108.15

Part #	Pre-configured Panels for Easy Ordering	List Price
1071824	1121W114X6A10E	\$908.46
1071853	1121W124X6A10E	\$908.46
1071823	1121W114H6A10E17G	\$1,028.97
1071822	1121W124H6A10E17G	\$1,028.97
1071841	1121W114H6A8AC10E17G	\$1,225.70
1075046	1121W124H6A8AC10E17G	\$1,225.70

112	1	W	1	PUMP FULL LOAD AMPS	4	LEVEL CONTROL APPLICATION	6A10E
CONTROL PANEL	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	112	Single Phase Simplex				Model 112 Base Price <u>\$908.46</u> (includes Alarm Package, Enclosure Rating, Starting Device and Pump Disconnect)
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, horn & float)				
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)				
STARTING DEVICE	✓	1	Magnetic Motor Contactor 120/208/240V				
		0	0 - 7 FLA				Pump Full Load Amps <u>  </u>
		1	7 - 15 FLA				
		2	15 - 20 FLA				
		3	20 - 30 FLA (Enclosure Upsize Required)				Total Options <u>  </u>
PUMP DISCONNECT	✓	4	Circuit Breaker 120/208/240V				<b>TOTAL LIST PRICE</b> <u>  </u>
		H	Floats - Pump Down (select Option 17G below - 3 floats by default when selected)				
		L	Floats - Pump Up (select Option 17G below - 3 floats by default when selected)				
LEVEL CONTROL APPLICATION		E	EZconnex® Float Switch System				
		X	No Floats				

OPTIONS	DESCRIPTION		LIST PRICE	OPTIONS	DESCRIPTION		LIST PRICE
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)		\$66.95	15A	Control / Alarm Circuit Breaker		\$97.85
5E	Seal Failure Circuit & Red Indicator (2 wire) (Normally Open)		\$255.44	16C	30' Cord in Lieu of 20' Cord (per Float)		\$8.24
✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>		<b>\$0.00</b>	16D	40' Cord in Lieu of 20' Cord (per Float)		\$16.48
8A	Elapsed Time Meter		\$108.15	17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical		\$120.51
8C	Event (Cycle) Counter		\$88.58	17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical		\$148.32
9_A	Pump Overload - Specify Amperage after Number 9 Followed by Letter "A" Example: 912A = 12 amp pump	0 - 25 FLA	\$329.60	19T	TOA (Test/Off/Automatic) Switch and Pump Run Light through Door Mounted		\$108.15
		25 - 30 FLA	\$417.15	19U	HOA (Hand/Off/Automatic) Switch and Pump Run Light through Door Mounted		\$108.15
✓ 10E	<b>Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)</b>		<b>\$0.00</b>	19X	Door Mounted Pump Run Indicator		\$108.15
10F	Lightning Arrestor		\$309.00	33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp		\$350.27
10K	Anti-condensation Heater		\$149.35	35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp		\$424.73
10P	Panel Mounting Post - factory installed (max. enclosure 14x12x6)		\$231.75				
14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON position (must select Circuit Breaker)	0 - 20 FLA	\$515.00				
		20 - 30 FLA	\$592.25				

For additional control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**MODEL 122** - Single phase, duplex alternating pump control with override.

Part #	Pre-configured Panels for Easy Ordering	List Price
1019842	1221W114H6A10E17G19B	\$1,652.12
1019462	1221W114X6A10E19B	\$1,531.61

122	1	W	1		4	6A19B	
CONTROL PANEL	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	OPTIONS
CONTROL PANEL	✓	122	Single Phase Duplex (includes Options 6A and 19B as standard)			\$1,531.61	Model 122 Base Price
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, red light, & horn)			Base	
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)			Base	
STARTING DEVICE	✓	1	Magnetic Motor Contactor 120/208/240V			Base	
PUMP FULL LOAD AMPS	0	0 - 7 FLA			Base		Alarm Package
	1	7 - 15 FLA			Base		Enclosure Rating
	2	15 - 20 FLA			Base		Starting Device
	3	20 - 30 FLA			\$16.48		Pump Full Load Amps
PUMP DISCONNECTS	✓	4	Circuit Breaker 120/208/240V			Base	Pump Disconnects
LEVEL CONTROL APPLICATION	H	Pump Down (select Option 17 below)			See Options		Level Control Application
	L	Pump Up (select Option 17 below)			See Options		
	E	EZconnex® Float Switch System			See Options		
	X	No Floats			Base		

## PRICING WORKSHEET

Model 122 Base Price \$1,531.61

## Alarm Package

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

## Level Control Application

Total Options \_\_\_\_\_

Enclosure Upsize \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

OPTIONS	DESCRIPTION	LIST PRICE	
4A	Redundant Off (must also select Option 4D if floats are required)	\$66.95	
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)	\$87.55	
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$40.17	
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$133.90	
5E	Seal Failure Circuit & Red Indicator (2 wire)	\$255.44	
<input checked="" type="checkbox"/> 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>	<b>\$0.00</b>	
8A	Elapsed Time Meter	\$149.35	
8C	Event (Cycle) Counter	\$123.60	
9_A	Pump Overload - Specify Amperage After Number 9 Followed by Letter "A", Example: 912A = 12 Amp Pump	0-25 FLA	\$494.40
		25-30 FLA	\$670.53
10E	<b>Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)</b>	<b>\$0.00</b>	
		\$56.65	
10F	Lightning Arrestor (select pump circuit breaker)	\$309.00	
10K	Anti-condensation Heater	\$149.35	
14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position) (must select circuit breaker)	0-20 FLA (total of both pumps)	\$515.00
		20-60 FLA (total of both pumps)	\$592.25

OPTIONS	DESCRIPTION	LIST PRICE
16C	30' Cord in Lieu of 20' Cord (per float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per float)	\$16.48
17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury	\$170.10
17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury	\$176.40
17E	Sensor Float® Mini / Pipe Clamp (3 Floats) - Mercury	\$151.20
17F	Sensor Float® Mini / Externally Weighted (3 Floats) - Mercury	\$170.10
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical	\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical	\$148.32
17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury	\$144.90
<input checked="" type="checkbox"/> 19B	<b>Lead Lag Selector Switch (included as standard)</b>	<b>\$0.00</b>
19F	Fourth Float to Separate Alarm Function From Lag	\$40.17
19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$216.30
19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$216.30
19X	Door Mounted Pump Run Indicator	\$216.30
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

For additional control panel options, please contact Technical Support at [techsupport@sjieinc.com](mailto:techsupport@sjieinc.com).

312	1	W	PUMP FULL LOAD AMPS	LEVEL CONTROL APPLICATION	6A10E
CONTROL PANEL	ALARM PACKAGE	ENCLOSURE RATING			OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	312	Three Phase Simplex (includes Option 10E as standard)		\$1,952.88
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)	Base	
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base	
PUMP FULL LOAD AMPS		208/240/480V	600V		
	001	1.0 - 1.6 FLA	005	1.0 - 1.6 FLA	Base
	101	1.6 - 2.5 FLA	105	1.6 - 2.5 FLA	Base
	201	2.5 - 4.0 FLA	205	2.5 - 4.0 FLA	Base
	301	4.0 - 6.3 FLA	305	4.0 - 6.3 FLA	Base
	401	6.0 - 10.0 FLA	405	6.0 - 10.0 FLA	Base
	511	9.0 - 14.0 FLA	515	9.0 - 14.0 FLA	\$63.86
	611	13.0 - 18.0 FLA	615	13.0 - 18.0 FLA	\$63.86
	621	17.0 - 23.0 FLA	625	17.0 - 23.0 FLA	\$78.28
	701	20.0 - 25.0 FLA	705	20.0 - 25.0 FLA	\$78.28
LEVEL CONTROL APPLICATION	H	FLOATS - Pump Down (select Option 17 below)		See Options	
	L	FLOATS - Pump Up (select Option 17 below)		See Options	
	E	EZconnex® Float Switch System		See Options	
	X	No Floats		Base	
OPTIONS	DESCRIPTION			LIST PRICE	
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)			\$66.95	
5E	Seal Failure Circuit & Red Indicator (2 wire)			\$255.44	
✓ 6A	Auxiliary Alarm Contact, Form C (included as standard)			\$0.00	
8A	Elapsed Time Meter			\$108.15	
8C	Event (Cycle) Counter			\$88.58	
✓ 10E	Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)			\$0.00	
10G	Lightning Arrestor			\$309.00	
10K	Anti-condensation Heater			\$149.35	
14B	Main Disconnect - 14x12 Enclosure Upgrade (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)			\$515.00	
OPTIONS	DESCRIPTION			LIST PRICE	
16C	30' Cord in Lieu of 20' Cord (per float)			\$8.24	
16D	40' Cord in Lieu of 20' Cord (per float)			\$16.48	
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical			\$120.51	
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical			\$148.32	
19T	TOA (Test/Off/Automatic) Switch and Pump Run Light Through Door Mounted			\$108.15	
19U	HOA (Hand/Off/Automatic) Switch and Pump Run Light Through Door Mounted			\$108.15	
19X	Door Mounted Pump Run Indicator			\$108.15	
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp			\$350.27	
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp			\$424.73	

For additional control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**PRICING WORKSHEET**

Model 312 Base Price \$1,952.88  
 Alarm Package \_\_\_\_\_  
 Enclosure Rating \_\_\_\_\_  
 Pump Full Load Amps \_\_\_\_\_  
 Level Control Application \_\_\_\_\_  
 Total Options \_\_\_\_\_  
**TOTAL LIST PRICE** \_\_\_\_\_

322	ALARM PACKAGE	W	PUMP FULL LOAD AMPS	LEVEL CONTROL APPLICATION	6A10E19B
CONTROL PANEL	✓ 322	Three Phase Duplex (includes Options 6A and 19B as standard)	\$2,935.50		OPTIONS (LISTED BELOW)
ALARM PACKAGE	0	Select Options or No Alarm Package	-\$40.17		
	1	Alarm Package (includes test/normal/silence switch, red light, & horn)	Base		
ENCLOSURE RATING	✓ W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base		
PUMP FULL LOAD AMPS	208/240/480V		600V		
	001	1.0 - 1.6 FLA	005	1.0 - 1.6 FLA	Base
	101	1.6 - 2.5 FLA	105	1.6 - 2.5 FLA	Base
	201	2.5 - 4.0 FLA	205	2.5 - 4.0 FLA	Base
	301	4.0 - 6.3 FLA	305	4.0 - 6.3 FLA	Base
	401	6.0 - 10.0 FLA	405	6.0 - 10.0 FLA	Base
	511	9.0 - 14.0 FLA	515	9.0 - 14.0 FLA	\$86.52
	611	13.0 - 18.0 FLA	615	13.0 - 18.0 FLA	\$86.52
	621	17.0 - 23.0 FLA	625	17.0 - 23.0 FLA	\$114.33
	701	20.0 - 25.0 FLA	705	20.0 - 25.0 FLA	\$114.33
LEVEL CONTROL APPLICATION	H	Floats - Pump Down (select Option 17 below - ships with 3 floats by default)			See Options
	L	Floats - Pump Up (select Option 17 below - ships with 3 floats by default)			See Options
	E	EZconnex® Float Switch System			See Options
	X	No Floats			Base

**PRICING WORKSHEET**

Model 322 Base Price \$2,935.50  
 Alarm Package \_\_\_\_\_  
 Enclosure Rating \_\_\_\_\_  
 Pump Full Load Amps \_\_\_\_\_  
 Level Control Application \_\_\_\_\_  
 Total Options \_\_\_\_\_  
 Enclosure Upsize \_\_\_\_\_  
**TOTAL LIST PRICE** \_\_\_\_\_

OPTIONS	DESCRIPTION	LIST PRICE
4A	Redundant Off (must also select Option 4D if floats are required)	\$66.95
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)	\$87.55
4D	Redundant Off Float (must also select Option 4A and Option 17)	\$40.17
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$133.90
5E	Seal Failure Circuit & Red Indicator (2 wire)	\$255.44
✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>	<b>\$0.00</b>
8A	Elapsed Time Meter	\$149.35
8C	Event (Cycle) Counter	\$123.60
10A	Clear Inner Swing-Out Door with Dead Front (lights and switches mounted on inner door) <b>PANELS ORDERED WITH THIS OPTION CANNOT BE RETURNED</b>	\$309.00
✓ 10E	<b>Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)</b>	<b>\$0.00</b>
10G	Lightning Arrestor	\$309.00
10K	Anti-condensation Heater	\$149.35
14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)	\$515.00
	0-20 FLA (total of both pumps)	
	20-50 FLA (total of both pumps)	\$592.25

For additional control panel options, please contact Technical Support at  
 techsupport@sjeinc.com.

OPTIONS	DESCRIPTION	LIST PRICE
16C	30' Cord in Lieu of 20' Cord (per float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per float)	\$16.48
17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury	\$170.10
17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury	\$176.40
17E	Sensor Float® Mini / Pipe Clamp (3 Floats) - Mercury	\$151.20
17F	Sensor Float® Mini / Externally Weighted (3 Floats) - Mercury	\$170.10
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical	\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical	\$148.32
17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury	\$144.90
✓ 19B	<b>Lead Lag Selector Switch (included as standard)</b>	<b>\$0.00</b>
19F	Fourth Float to Separate Alarm Function from Lag	\$40.17
19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$216.30
19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted	\$216.30
19X	Door Mounted Pump Run Indicator	\$216.30
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

**MODEL 32S** - Three phase, duplex alternating pump control with override. Simply add the appropriate overload modules.

Part #	Description	List Price
1037516	32S1S000X3A5AE6A8A10AE19B Stainless Steel Enclosure	\$5,900.73
1059958	32S1W000X3A5AE6A8A10AE19B Fiberglass Enclosure	\$4,658.41
1059959	32S1W000X3A5AE6A8A10AE19B27A Fiberglass Enclosure, Intrinsically Safe Relay	\$5,491.22
1059960	32S1S000X3A5AE6A8A10AE19B27A Stainless Steel Enclosure, Intrinsically Safe Relay	\$6,733.53
Options Part #	Description	List Price
1033805	Overload Module 1.25-5.0 FLA	\$160.55
1023500	Overload Module 4.5-18.0 FLA	\$160.55
1033806	Overload Module 8.0-32.0 FLA	\$160.55
1036351	Surge Arrestor with Bracket	\$485.10

Note: Each panel requires two overload modules. Field installation required.

**MODEL 32XR** - Three phase, duplex alternating pump control with override. Simply add the appropriate overload modules.

Part #	Description	List Price
1051507	32XR1W000X4A5ADEM6A8AC10AEG	\$5,734.16
Options Part #	Description	List Price
1036510	Overload Module, 3-12 FLA	\$160.55
1033806	Overload Module 8-32 FLA	\$160.55
1051382	Kit, Transmitter (SJE)/ 50 ft. MAP Float, with float bracket	\$1,215.79
1051588	Kit, Transmitter (SJE)/(2) 50 ft. MAP Floats, with float bracket	\$1,326.13
1051585	Kit, Transmitter (RAT)/(2) 50 ft. MAP Floats, with float bracket	\$2,613.83

Note: Each panel requires two overload modules. Field installation required.

**MODEL 113** - Single phase, simplex capacitor start/run pump control.

113	1	W	1	PUMP FULL LOAD AMPS	4	LEVEL CONTROL APPLICATION	6A10E
CONTROL PANEL	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	113	Single Phase Simplex Capacitor Start/Run				\$1,271.02
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)				Base
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)				Base
STARTING DEVICE	✓	1	IEC Motor Contactor 120/208/240V				Base
PUMP FULL LOAD AMPS	0	0 - 7 FLA					Base
	1	7 - 15 FLA					Base
	2	15 - 20 FLA					Base
	3	20 - 30 FLA					\$43.26
	4	30 - 40 FLA					\$71.07
PUMP DISCONNECTS	✓	4	Circuit Breaker				Base
LEVEL CONTROL APPLICATION	H	Pump Down (select Option 17 below)					See Options
	L	Pump Up (select Option 17 below)					See Options
	E	EZconnex® Float Switch System					See Options
	X	No Floats					Base

Start/run capacitor kits must be ordered separately (see Option 12 below or call factory).

**PRICING WORKSHEET**

Model 113 Base Price \$1,271.02  
 Alarm Package \_\_\_\_\_  
 Enclosure Rating \_\_\_\_\_  
 Starting Device \_\_\_\_\_  
 Pump Full Load Amps \_\_\_\_\_  
 Pump Disconnects \_\_\_\_\_  
 Level Control Application \_\_\_\_\_  
 Total Options \_\_\_\_\_  
**TOTAL LIST PRICE** \_\_\_\_\_

OPTIONS	DESCRIPTION		LIST PRICE
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)		\$66.95
5E	Seal Failure Circuit & Red Indicator (2 wire)		\$255.44
✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>	<b>\$0.00</b>	
8A	Elapsed Time Meter		\$108.15
8C	Event (Cycle) Counter		\$88.58
9_A	Pump Overload - Specify Amperage After Number 9 Followed by Letter "A" Example: 912A = 12 Amp Pump	0-30 FLA	\$92.70
		30-40 FLA	\$195.70
✓ 10E	<b>Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)</b>	<b>\$0.00</b>	
10F	Lightning Arrestor (select pump circuit breaker)		\$309.00
10K	Anti-condensation Heater		\$149.35
12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	Call Factory	
12C	Motor Start Component, Mounted and Supplied by SJE Rhombus	Call Factory	

For additional control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

OPTIONS	DESCRIPTION	LIST PRICE
14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position) (must select circuit breaker)	\$515.00
		\$592.25
16C	30' Cord in Lieu of 20' Cord (per float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per float)	\$16.48
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical	\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical	\$148.32
19T	TOA (Test/Off/Automatic) Switch and Pump Run Light Through Door Mounted	\$108.15
19U	HOA (Hand/Off/Automatic) Switch and Pump Run Light Through Door Mounted	\$108.15
19X	Door Mounted Pump Run Indicator	\$108.15
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

123	W	1	4	6A10E19B
CONTROL PANEL	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	LEVEL CONTROL APPLICATION
✓ 123				\$2,115.62
ALARM PACKAGE	0	Select Options or No Alarm Package		-\$40.17
	1	Alarm Package (includes test/normal/silence switch, red light, & horn)		Base
ENCLOSURE RATING	✓ W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base
STARTING DEVICE	✓ 1	IEC Motor Contactor 120/208/240V		Base
	0	0 - 7 FLA		Base
	1	7 - 15 FLA		Base
	2	15 - 20 FLA		Base
	3	20 - 30 FLA		\$114.33
	4	30 - 40 FLA		\$159.65
PUMP DISCONNECTS	✓ 4	Circuit Breaker		Base
	H	Pump Down (select Option 17 below)		See Options
	L	Pump Up (select Option 17 below)		See Options
LEVEL CONTROL APPLICATION	E	EZconnex® Float Switch System		See Options
	X	No Floats		Base

Start/run capacitor kits must be ordered separately (see Option 12 below or call factory).

**PRICING WORKSHEET**

Model 123 Base Price \$2,115.62

Alarm Package \_\_\_\_\_

Enclosure Rating \_\_\_\_\_

Starting Device \_\_\_\_\_

Pump Full Load Amps \_\_\_\_\_

Pump Disconnects \_\_\_\_\_

Level Control Application \_\_\_\_\_

Total Options \_\_\_\_\_

Enclosure Upsize \_\_\_\_\_

**TOTAL LIST PRICE** \_\_\_\_\_

OPTIONS	DESCRIPTION		LIST PRICE
4A	Redundant Off (must also select Option 4D if floats are required)		\$66.95
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)		\$87.55
4D	Redundant Off Float (must also select Option 4A and Option 17)		\$40.17
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)		\$133.90
5E	Seal Failure Circuit & Red Indicator (2 wire)		\$255.44
✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>		<b>\$0.00</b>
8A	Elapsed Time Meter		\$149.35
8C	Event (Cycle) Counter		\$123.60
9_A	Pump Overload - Specify Amperage After Number 9 Followed by Letter "A" Example: 912A = 12 Amp Pump	0-20 FLA 30-40 FLA	\$180.25 \$386.25
✓ 10E	<b>Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)</b>		<b>\$0.00</b>
10F	Lightning Arrestor (must select Pump Circuit Breakers)		\$309.00
10K	Anti-condensation Heater		\$149.35
12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	Call Factory	
12C	Motor Start Component, Mounted and Supplied by SJE Rhombus	Call Factory	
14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)	0-20 FLA (total of both pumps) 20-80 FLA (total of both pumps)	\$515.00 \$592.25

For additional control panel options, please contact Technical Support at  
techsupport@sjeinc.com.

**MODEL 114** - Single phase, simplex pump control with intrinsically safe circuits.

<b>114</b> CONTROL PANEL	<b>1</b> ALARM PACKAGE	<b>W</b> ENCLOSURE RATING	<b>1</b> STARTING DEVICE	<b>PUMP FULL LOAD AMPS</b>	<b>4</b> PUMP DISCONNECTS	<b>6A10E</b> LEVEL CONTROL APPLICATION
OPTIONS (LISTED BELOW)						

<b>CONTROL PANEL</b>	<input checked="" type="checkbox"/>	114	Single Phase Simplex Intrinsically Safe	\$2,648.13
<b>ALARM PACKAGE</b>	<input checked="" type="checkbox"/>	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)	Base
<b>ENCLOSURE RATING</b>	<input checked="" type="checkbox"/>	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base
<b>STARTING DEVICE</b>	<input checked="" type="checkbox"/>	1	Magnetic Motor Contactor 120/208/240V	Base
<b>PUMP FULL LOAD AMPS</b>		0	0 - 7 FLA	Base
		1	7 - 15 FLA	Base
		2	15 - 20 FLA	Base
		3	20 - 30 FLA	\$43.26
		4	30 - 40 FLA	\$71.07
<b>PUMP DISCONNECTS</b>	<input checked="" type="checkbox"/>	4	Circuit Breaker 120/208/240V	Base
<b>LEVEL CONTROL APPLICATION</b>		H	Pump Down (select Option 17 below)	See Options
		L	Pump Up (select Option 17 below)	See Options
		E	EZconnex® Float Switch System	See Options
		X	No Floats	Base

Start/run capacitor kits must be ordered separately (see Option 12 below or call factory).

**PRICING WORKSHEET**

Model 114 Base Price	\$2,648.13
Alarm Package	
Enclosure Rating	
Starting Device	
Pump Full Load Amps	
Pump Disconnects	
Level Control Application	
Total Options	
<b>TOTAL LIST PRICE</b>	

OPTIONS	DESCRIPTION		LIST PRICE
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)		\$66.95
5E	Seal Failure Circuit & Red Indicator (2 wire)		\$255.44
<input checked="" type="checkbox"/> 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>	<b>0.00</b>	
	6G	Auxiliary Contact, Dry, Seal Fail, Normally Open (must select Option 5E)	\$108.15
	8A	Elapsed Time Meter	\$108.15
	8C	Event (Cycle) Counter	\$88.58
9_A	Pump Overload - Specify Amperage After Number 9 Followed by Letter "A" Example: 912A = 12 Amp Pump	0-25 FLA	\$92.70
		25-40 FLA	\$195.70
<input checked="" type="checkbox"/> 10E	<b>Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)</b>	<b>\$0.00</b>	
10F	Lightning Arrestor (select pump circuit breaker)		\$309.00
10K	Anti-condensation Heater		\$149.35
12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	Call Factory	
12C	Motor Start Component, Mounted and Supplied by SJE Rhombus	Call Factory	

For additional control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

OPTIONS	DESCRIPTION	LIST PRICE
14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position) (must select circuit breaker)	\$515.00
	0-20 FLA	\$592.25
16C	30' Cord in Lieu of 20' Cord (per float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per float)	\$16.48
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical	\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical	\$148.32
19T	TOA (Test/Off/Automatic) Switch and Pump Run Light Through Door Mounted	\$108.15
19U	HOA (Hand/Off/Automatic) Switch and Pump Run Light Through Door Mounted	\$108.15
19X	Door Mounted Pump Run Indicator	\$108.15
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

**MODEL 124** - Single phase, duplex alternating pump control with intrinsically safe circuits.

124	1	W	1	PUMP FULL LOAD AMPS	4	LEVEL CONTROL APPLICATION	6A10E19B
CONTROL PANEL	✓	124	ENCLOSURE RATING	STARTING DEVICE	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	OPTIONS (LISTED BELOW)
CONTROL PANEL	✓	124	Single Phase Duplex Intrinsically Safe (includes Options 6A and 19B as standard)		\$3,826.45		
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, red light, & horn)		Base		Model 124 Base Price <u>\$3,826.45</u>
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base		Alarm Package _____
STARTING DEVICE	✓	1	Magnetic Motor Contactor 120/208/240V		Base		Enclosure Rating _____
		0	0 - 7 FLA		Base		Starting Device _____
		1	7 - 15 FLA		Base		Pump Full Load Amps _____
		2	15 - 20 FLA		Base		Pump Disconnects _____
		3	20 - 30 FLA		\$114.33		Level Control Application _____
		4	30 - 40 FLA		\$159.65		Total Options _____
PUMP DISCONNECTS	✓	4	Circuit Breaker 120/208/240V		Base		<b>TOTAL LIST PRICE</b> <u>_____</u>
		H	Pump Down (select Option 17 below)		See Options		
LEVEL CONTROL APPLICATION		L	Pump Up (select Option 17 below)		See Options		
		E	EZconnex® Float Switch System		See Options		
		X	No Floats		Base		

Start/run capacitor kits must be ordered separately (see Option 12 below or call factory).

OPTIONS	DESCRIPTION		LIST PRICE
4A	Redundant Off (must also select Option 4D if floats are required)		\$309.00
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)		\$87.55
4D	Redundant Off Float (must also select Option 4A and Option 17)		\$40.17
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)		\$133.90
5E	Seal Failure Circuit & Red Indicator (2 wire)		\$255.44
✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>		<b>\$0.00</b>
6G	Auxiliary Contact, Dry, Seal Fail, Normally Open (must select Option 5E)		\$216.30
8A	Elapsed Time Meter		\$149.35
8C	Event (Cycle) Counter		\$123.60
9_A	Pump Overload - Specify Amperage After Number 9 Followed by Letter "A" Example: 912A = 12 Amp Pump	0-25 FLA	\$180.25
		25-40 FLA	\$386.25
10A	Clear Inner Swing-Out Door with Dead Front (lights and switches mounted on inner door) <b>PANELS ORDERED WITH THIS OPTION CANNOT BE RETURNED</b>		\$309.00
✓ 10E	<b>Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)</b>		<b>\$0.00</b>
10F	Lightning Arrestor (must select Pump Circuit Breaker)		\$309.00
10K	Anti-condensation Heater		\$149.35
12B	Customer Supplied Motor Start Components, Mounted in Enclosure by SJE Rhombus	Call Factory	
12C	Motor Start Component, Mounted and Supplied by SJE Rhombus	Call Factory	

For additional control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**PRICING WORKSHEET**

Model 124 Base Price	<u>\$3,826.45</u>
Alarm Package	_____
Enclosure Rating	_____
Starting Device	_____
Pump Full Load Amps	_____
Pump Disconnects	_____
Level Control Application	_____
Total Options	_____
<b>TOTAL LIST PRICE</b>	<u>_____</u>

OPTIONS	DESCRIPTION		LIST PRICE
14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position) (must select circuit breaker)	0-20 FLA (total of both pumps)	\$515.00
		20-80 FLA (total of both pumps)	\$592.25
16C	30' Cord in Lieu of 20' Cord (per float)		\$8.24
16D	40' Cord in Lieu of 20' Cord (per float)		\$16.48
17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury		\$170.10
17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury		\$176.40
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical		\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical		\$148.32
17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury		\$144.90
✓ 19B	<b>Lead Lag Selector Switch (included as standard)</b>		<b>\$0.00</b>
19F	Fourth Float to Separate Alarm Function from Lag		\$40.17
19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted		\$216.30
19U	HOA (Hand/Off/Automatic) Switches and Pump Run Lights Through Door Mounted		\$216.30
19X	Door Mounted Pump Run Indicator		\$216.30
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp		\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp		\$424.73

314	1	W	PUMP FULL LOAD AMPS	LEVEL CONTROL APPLICATION	6A10E
CONTROL PANEL	314	Three Phase Simplex Intrinsically Safe			OPTIONS (LISTED BELOW)
ALARM PACKAGE	1	Alarm Package (includes test/normal/silence switch, fuse, red light, & horn)		Base	
ENCLOSURE RATING	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base	
		208/240/480V	600V		
	001	1.0 - 1.6 FLA	005	1.0 - 1.6 FLA	Base
	101	1.6 - 2.5 FLA	105	1.6 - 2.5 FLA	Base
	201	2.5 - 4.0 FLA	205	2.5 - 4.0 FLA	Base
	301	4.0 - 6.3 FLA	305	4.0 - 6.3 FLA	Base
	401	6.0 - 10.0 FLA	405	6.0 - 10.0 FLA	Base
	511	9.0 - 14.0 FLA	515	9.0 - 14.0 FLA	\$63.86
	611	13.0 - 18.0 FLA	615	13.0 - 18.0 FLA	\$63.86
	621	17.0 - 23.0 FLA	625	17.0 - 23.0 FLA	\$78.28
	701	20.0 - 25.0 FLA	705	20.0 - 25.0 FLA	\$78.28
	H	Floats - Pump Down (select Option 17 below)		See Options	
	L	Floats - Pump Up (select Option 17 below)		See Options	
	E	EZconnex® Float Switch System		See Options	
	X	No Floats		Base	

PRICING WORKSHEET
Model 314 Base Price \$3,703.88
Alarm Package _____
Enclosure Rating _____
Pump Full Load Amps _____
Level Control Application _____
Total Options _____
<b>TOTAL LIST PRICE</b> _____

OPTIONS	DESCRIPTION	LIST PRICE
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)	\$66.95
5E	Seal Failure Circuit & Red Indicator (2 wire)	\$255.44
✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>	<b>\$0.00</b>
6G	Auxiliary Contact, Dry, Seal Fail, Normally Open (must select Option 5E)	\$108.15
8A	Elapsed Time Meter	\$108.15
8C	Event (Cycle) Counter	\$88.58
✓ 10E	<b>Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)</b>	<b>\$0.00</b>
10G	Lightning Arrestor	\$309.00
10K	Anti-condensation Heater	\$149.35

For additional control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

OPTIONS	DESCRIPTION	LIST PRICE
14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)	\$515.00
	0-20 FLA	\$592.25
16C	30' Cord in Lieu of 20' Cord (per float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per float)	\$16.48
17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical	\$120.51
17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical	\$144.90
19T	TOA (Test/Off/Automatic) Switch and Pump Run Light Through Door Mounted	\$108.15
19U	HOA (Hand/Off/Automatic) Switch and Pump Run Light Through Door Mounted	\$108.15
19X	Door Mounted Pump Run Indicator	\$108.15
33D	EZconnex® 3-Port, 25', with 10' Floats (3) / Pipe Clamp	\$350.27
35D	EZconnex® 4-Port, 25', with 10' Floats (4) / Pipe Clamp	\$424.73

**MODEL 324** - Three phase, duplex pump control with intrinsically safe circuits.

324	CONTROL PANEL	W	ENCLOSURE RATING	PUMP FULL LOAD AMPS	LEVEL CONTROL APPLICATION	6A10E19B	OPTIONS (LISTED BELOW)
<b>CONTROL PANEL</b>	✓ 324	Three Phase Duplex Intrinsically Safe				\$4,578.35	
<b>ALARM PACKAGE</b>	0	Select Options or No Alarm Package				-\$40.17	Model 324 Base Price \$4,578.35
	1	Alarm Package (includes test/normal/silence switch, red light, & horn)				Base	Alarm Package _____
<b>ENCLOSURE RATING</b>	✓ W	Weatherproof, NEMA 4X (engineered thermoplastic)				Base	Enclosure Rating _____
<b>PUMP FULL LOAD AMPS</b>	208/240/480V		600V				Pump Full Load Amps _____
	001	1.0 - 1.6 FLA	005	1.0 - 1.6 FLA		Base	Level Control Application _____
	101	1.6 - 2.5 FLA	105	1.6 - 2.5 FLA		Base	Total Options _____
	201	2.5 - 4.0 FLA	205	2.5 - 4.0 FLA		Base	<b>TOTAL LIST PRICE</b> _____
	301	4.0 - 6.3 FLA	305	4.0 - 6.3 FLA		Base	
	401	6.0 - 10.0 FLA	405	6.0 - 10.0 FLA		Base	
	511	9.0 - 14.0 FLA	515	9.0 - 14.0 FLA		\$86.52	
	611	13.0 - 18.0 FLA	615	13.0 - 18.0 FLA		\$86.52	
	621	17.0 - 23.0 FLA	625	17.0 - 23.0 FLA		\$114.33	
	701	20.0 - 25.0 FLA	705	20.0 - 25.0 FLA		\$114.33	
<b>LEVEL CONTROL APPLICATION</b>	H	FLOATS - Pump Down (select Option 17 below)				See Options	
	L	FLOATS - Pump Up (select Option 17 below)				See Options	
	E	EZconnex® Float Switch System				See Options	
	X	No Floats				Base	
<b>OPTIONS</b>	<b>DESCRIPTION</b>		<b>LIST PRICE</b>	<b>OPTIONS</b>	<b>DESCRIPTION</b>		<b>LIST PRICE</b>
4A	Redundant Off (must also select Option 4D if floats are required)		\$309.00	14B	Main Disconnect (rotary style, mounted through door, non-fused, padlockable in the OFF position, door interlock in the ON-position)		\$515.00
4B	Red Redundant Off Indicator & Alarm (must also select Option 4A)		\$87.55		0-20 FLA (total of both pumps)		\$592.25
4D	Redundant Off Float (must also select Option 4A and Option 17)		\$40.17	16C	20-50 FLA (total of both pumps)		
5A	Thermal Cutout/Heat Sensor Auto Reset (for pumps with thermal switch leads)		\$133.90	16D	30' Cord in Lieu of 20' Cord (per float)		\$8.24
5E	Seal Failure Circuit & Red Indicator (2 wire)		\$255.44	16F	40' Cord in Lieu of 20' Cord (per float)		\$16.48
✓ 6A	<b>Auxiliary Alarm Contact, Form C (included as standard)</b>		<b>\$0.00</b>	17C	Sensor Float® / Internally Weighted (3 Floats) - Mercury		\$170.10
6G	Auxiliary Contact, Dry, Seal Fail, Normally Open (must select Option 5E)		\$216.30	17D	Sensor Float® / Externally Weighted (3 Floats) - Mercury		\$176.40
8A	Elapsed Time Meter		\$149.35	17G	SJE MilliAmpMaster™ / Pipe Clamp (3 Floats) - Mechanical		\$120.51
8C	Event (Cycle) Counter		\$123.60	17H	SJE MilliAmpMaster™ / Externally Weighted (3 Floats) - Mechanical		\$148.32
10A	Clear Inner Swing-Out Door with Dead Front (lights and switches mounted on inner door) <b>PANELS ORDERED WITH THIS OPTION CANNOT BE RETURNED</b>		\$309.00	17J	Sensor Float® / Pipe Clamp (3 Floats) - Mercury		\$144.90
✓ 10E	<b>Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)</b>		<b>\$0.00</b>	✓ 19B	<b>Lead Lag Selector Switch (included as standard)</b>		<b>\$0.00</b>
10G	Lightning Arrestor		\$309.00	19F	Fourth Float to Separate Alarm Function from Lag		\$40.17
10K	Anti-condensation Heater		\$149.35	19T	TOA (Test/Off/Automatic) Switches and Pump Run Lights Through Door Mounted		\$216.30

For additional control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).



**MODEL TD** - Single phase, simplex timed dosing pump control.

TD	1	W	STARTING DEVICE	PUMP FULL LOAD AMPS	4	LEVEL CONTROL APPLICATION	10E
CONTROL PANEL	OPTIONS (LISTED BELOW)						
CONTROL PANEL	✓	TD	Single Phase Simplex Timed Dosing		\$1,127.85		Model TD
ALARM PACKAGE	✓	1	Alarm Package (includes test/normal/silence switch, red light, & horn)		Base		Base Price
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)		Base		
STARTING DEVICE		1	Magnetic Motor Contactor 120/208/240V		\$86.52		
		9	Magnetic Motor Contactor 120V only		Base		
PUMP FULL LOAD AMPS		0	0 - 7 FLA		Base		Alarm Package
		1	7 - 15 FLA		Base		Enclosure Rating
		2	15 - 20 FLA		Base		Starting Device
PUMP DISCONNECTS	✓	4	Circuit Breaker		Base		
LEVEL CONTROL APPLICATION		H	Pump Down - 20' Low Level Cutout (select Option 17W below) (all systems will ship with 2 floats by default)		See Options		Pump Full Load Amps
		X	No Floats		Base		Level Control Application

PRICING WORKSHEET

Model TD Base Price \$1,127.85

## Alarm Package

#### Enclosure Rating

### Starting Device

#### Full Load Amps

Smart Control Application

### Total Options

**TOTAL LIST PRICE**

OPTIONS	DESCRIPTION	LIST PRICE
4B	Red Redundant Off Indicator & Alarm (must also select Option 4D if floats are required)	\$87.55
4D	Redundant Off Float	\$40.17
4E	Redundant Off Float, Alarm Activation (20' SJE SignalMaster® SPDT)	\$66.95
6A	Auxiliary Alarm Contact, Form A	\$56.65
8A	Elapsed Time Meter	\$108.15
8C	Event (Cycle) Counter	\$88.58
<input checked="" type="checkbox"/> 10E	<b>Lockable Latch - NEMA 4X (included as standard)</b>	<b>\$0.00</b>
10K	Anti-condensation Heater	\$149.35

OPTIONS	DESCRIPTION	LIST PRICE
16C	30' Cord in Lieu of 20' Cord (per float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per float)	\$16.48
17W	SJE MilliAmpMaster™ Wide-Angle / Pipe Clamp	\$80.34
18A	Timer Override Float	\$40.17
19X	Door Mounted Pump Run Indicator	\$108.15

For additional control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**DIGITAL TIMED DOSE CONTROL PANEL** - Single phase, simplex timed dosing pump control.

Part #	Description	Pump FLA	Pump VAC	Shipping Weight	List Price
1109650	Digital TD Single Phase, Simplex	20A	120/208/240	3.8 lbs.	\$1,024.85

**MODEL PS11/PS12** - Single phase, duplex motor contactor control/programmable timed dosing control.

Part #	Description	Shipping Weight	List Price
1006586	PS11 - 120V	26 lbs.	\$1,873.16
1007395	PS12 - 240V	26 lbs.	\$2,465.08

**JB PLUGGER** - Easy-to-install junction box provides convenient connection for use with one single phase pump in effluent and sewage chambers.

Part #	Description (120V)	Shipping Weight	List Price
1007936	JBP No Alarm or Floats	3.5 lbs.	\$314.72
1011917	JBP Tank Alert® AB & 15' SJE SignalMaster®	6.36 lbs.	\$495.33
1019753	JBP Tank Alert® AB & 15' SJE PumpMaster® & 15' SJE SignalMaster®	7.81 lbs.	\$595.91
Part #	Description (230V)	Shipping Weight	List Price
1007937	JBP No Alarm or Floats	3.5 lbs.	\$325.53
1023120	JBP Tank Alert® AB & 15' SJE SignalMaster®	6.36 lbs.	\$506.14
1019754	JBP Tank Alert® AB & 15' SJE PumpMaster® & 15' SJE SignalMaster®	7.81 lbs.	\$606.72

**QUICK POST PLUS™ SYSTEM WITH INDOOR ALARM** - Easy to install Quick Post Plus™ system with indoor alarm provides convenient wiring connection and system monitoring for pump station applications.

Part #	Description (120V)	Shipping Weight	List Price
1053759	120V QPP1, Tank Alert® AB, SJE SignalMaster®	5.9 lbs.	\$686.07
1053760	120V QPP1E, Elapsed Timer Meter, Tank Alert® AB, SJE SignalMaster®	6.0 lbs.	\$799.31
1053761	120V QPP1DE, Elapsed Timer Meter, Tank Alert® AB DUO, SJE SignalMaster®	6.0 lbs.	\$888.62
1059013	120V QPP1WiFi, Xpert Alert® WiFi, SJE SignalMaster®	5.91 lbs.	\$960.78
Part #	Description (230V)	Shipping Weight	List Price
1053762	230V QPP2, Tank Alert® AB, SJE SignalMaster®	5.9 lbs.	\$702.24
1053763	230V QPP2E, Elapsed Timer Meter, Tank Alert® AB, SJE SignalMaster®	6.0 lbs.	\$902.32
1053764	230V QPP2DE, Elapsed Timer Meter, Tank Alert® AB DUO, SJE SignalMaster®	6.0 lbs.	\$964.32

**QUICK POST PLUS™ OUTDOOR SYSTEM** - Easy to install Quick Post Plus™ outdoor system provides convenient wiring connection and system monitoring for pump station applications.

Part #	Description (120V)	Shipping Weight	List Price
1053765	120V QPP1W, Integral Alarm, SJE SignalMaster®	5.4 lbs.	\$755.24
1053766	120V QPP1WE, Elapsed Timer Meter, Integral Alarm, SJE SignalMaster®	5.5 lbs.	\$903.80
1053767	120V QPP1WDE, Elapsed Timer Meter, DUO Alarm, SJE SignalMaster®	5.5 lbs.	\$1,089.27
Part #	Description (230V)	Shipping Weight	List Price
1053768	230V QPP2W, Integral Alarm, SJE SignalMaster®	5.4 lbs.	\$769.99
1053769	230V QPP2WE, Elapsed Timer Meter, Integral Alarm, SJE SignalMaster®	5.5 lbs.	\$935.55
1053770	230V QPP2WDE, Elapsed Timer Meter, DUO Alarm, SJE SignalMaster®	5.5 lbs.	\$1,103.60

**ULTRA NATOR™** - Controls two 120V single phase pumps using two receptacles for pump connections in indoor duplex pump applications. No wiring needed.

Part #	Description (120V)	Shipping Weight	List Price
1029624	Ultra Nator™ & two 10' SJE MicroMaster®	13 lbs.	\$967.94
1030108	Ultra Nator™ & two 10' SJE VerticalMaster® II	13 lbs.	\$1,016.61
1030109	Ultra Nator™ & one 10' SJE VerticalMaster® II & one 10' VRS	13 lbs.	\$1,018.46
1031346	Ultra Nator™ & two 20' SJE MicroMaster®	15 lbs.	\$991.94
1032893	Ultra Nator™ & two 20' SJE VerticalMaster® II	15 lbs.	\$1,018.46



Part #	Pre-configured Panels for Easy Ordering	FLA	Shipping Weight	List Price
1022728	PSP2 120V, 120V Alarm, No Pump Switch; 20' SJE SignalMaster®, with Mounting Post	0-15	13 lbs.	\$439.81
1019021	PSP2 120V, 120V Alarm, No Pump Switch, 20A Circuit Breaker, with Mounting Post	7-15	13 lbs.	\$544.80
1022575	PSP2 120V, 120V Alarm, ETM, 20' SJE SignalMaster®, with Mounting Post	0-15	14 lbs.	\$547.96
1022577	PSP2 120V, 120V DUO Alarm, ETM, 20' SJE SignalMaster® & VRS, with Mounting Post	0-15	15 lbs.	\$737.48
1018434	PSP2 120V, No Alarm, No Pump Switch; Remote TAAB, 15' SJE SignalMaster®, with Mounting Post	0-15	16 lbs.	\$460.41
1011551	Assembly Kit - Riser Extension Coupling and Washers	N/A	10 lbs.	\$97.52



CONTROL PANEL		<input checked="" type="checkbox"/>	PSP2				
MODEL TYPE		<input checked="" type="checkbox"/>	120V	120V		\$396.55	
STARTING DEVICE	1	SJE PumpMaster® Pump Switch (0-13 FLA) - Mechanical	\$65.92				
	2	SJE PumpMaster® Plus Pump Switch (0-15 FLA) - Mechanical	\$86.52				
	3	120V Double Float® Pump Switch (0-15 FLA) - Mercury	\$143.17				
	6	No Pump Switch	Base				
	7	120V Double Float® Master Pump Switch (0-15 FLA) - Mechanical	\$126.69				
LEVEL CONTROL APPLICATION	H	Pump Down (select Option 17 below)		See Options			
	X	No Floats		Base			

**PRICING WORKSHEET**

PS Patrol® Base Price \$396.55  
 Starting Device    
 Level Control Application    
 Total Options    
**TOTAL LIST PRICE**  

OPTIONS	DESCRIPTION	LIST PRICE
1J	Duo Alarm Inputs	\$97.85
1V	Vertical Reed Switch (must select Option 1J)	\$91.67
8A	Elapsed Time Meter	\$108.15
10X	No Mounting Post	- \$35.00
15_P	Pump Breaker - Specify 0 or 1 after Number 15 Followed by Letter "P" 0 = 15 Amp Breaker (0-7 FLA), 1 = 20 Amp Breaker (7-15 FLA) Example: 151P = 20 Amp Breaker, 7-15 FLA	\$97.85

OPTIONS	DESCRIPTION	LIST PRICE
16C	30' Cord in Lieu of 20' Cord (per float)	\$8.24
16D	40' Cord in Lieu of 20' Cord (per float)	\$16.48
17A	SJE SignalMaster® / Pipe Clamp (Alarm Float) - Mechanical	\$43.26
17J	Sensor Float® / Pipe Clamp (Alarm Float) - Mercury	\$50.40
22F	PSP Assembly Kit	\$82.40

For additional control panel options, please contact Technical Support at  
techsupport@sjeinc.com.

## SPECIFICATIONS

**ALARM VOLTAGE:** 120 VAC

**PUMP VOLTAGE:** 120 VAC

**ENCLOSURE SIZE:** Controller with post 5 x 5 x 39 inches  
(12.7 x 12.7 x 99.06 cm)  
Controller without post 5 x 5 x 8 inches  
(12.7 x 12.7 x 20.32 cm)

**RECEPTACLE:** 120 VAC - NEMA type 5-15

**AUXILIARY CONTACTS:** 120 VAC, 0.5 amps max., 50/60 Hz,  
(circuit not supervised)

**ALARM HORN:** 82 decibels at 10 feet

**ALARM FLOAT:** SJE SignalMaster® control switch with mounting clamp

**SJE OIL SPOTTER™** - Provides pump control and alarm notification of potentially threatening water and oil levels in simplex pumping applications.

Part #	Description (120V)	Shipping Weight	List Price
1033606	SJE Oil Spotter™ System (10ft)	13 lbs.	\$1,243.37
1033578	SJE Oil Spotter™ System (10ft) w/ Tank Alert® AB	15 lbs.	\$1,355.83
1036286	SJE Oil Spotter™ System (50ft) w/ Tank Alert® AB	18 lbs.	\$1,504.36
Part #	Description (230V)	Shipping Weight	List Price
1037562	SJE Oil Spotter™ 230V System (10ft)	13 lbs.	\$1,273.08
1037723	SJE Oil Spotter™ 230V System (10ft) w/ Tank Alert® AB	15 lbs.	\$1,385.54

**SJE OIL SPOTTER™ AUTO** - Provides pump control, valve control, and alarm notification of potentially threatening water and oil levels in simplex pumping applications.

Part #	Description (120V)	Shipping Weight	List Price
1038943	SJE Oil Spotter™ Auto System	9 lbs.	\$1,433.28
1038946	SJE Oil Spotter™ Auto System w/ Tank Alert® AB	10 lbs.	\$1,544.67

**VARIOSPEED® SIMPLEX GRINDER CONTROL PANEL** - Variable Frequency Drive for grinder pumps.

Part #	Model	Input Voltage	Pump Rating	HP	Max Out. Amps	Enclosure Size	Shipping Weight	List Price
1107914	VSGS-240-1-11	208-240V, 1 Phase	208/230V, 3 Phase	2	11A	14 x 12 x 6	18 lbs.	\$1,751.00
1107915	VSGS-240-1-17.8 <sup>1</sup>	208-240V, 1 Phase	208/230V, 3 Phase	3-5	17.8A	18 x 16 x 10	33 lbs.	\$3,399.00
1113571	VSGS-240-1-28 <sup>1</sup>	208-240V, 1 Phase	208/230V, 3 Phase	7.5-10	28.0A	28 x 20 x 12	42 lbs.	\$5,665.00
1107916	VSGS-240-3-11	208-240V, 3 Phase	208/230V, 3 Phase	2	11A	14 x 12 x 6	18 lbs.	\$2,266.00
1107917	VSGS-240-3-16.5	208-240V, 3 Phase	208/230V, 3 Phase	5	16.5A	14 x 12 x 6	26 lbs.	\$2,369.00
1107918	VSGS-240-3-31.8	208-240V, 3 Phase	208/230V, 3 Phase	7.5-10	31.8A	18 x 16 x 10	33 lbs.	\$3,605.00

<sup>1</sup>Model not UL Listed

#### SELECTING THE CORRECT VFD

1. Determine the number of phase and voltage available on site. If three phase is available, use models rated for three phase incoming power.
2. Select a pump with the same voltage rating as the incoming power (motor must be three phase).
3. Check pump motor nameplate Full Load Amps (FLA) for proper VFD sizing.
4. Select a VFD with an output amp rating equal or higher than motor FLA.

**VARIOSPEED® GRINDER DUPLEX CONTROL PANEL** - Variable Frequency Drives for grinder pumps.

Part #	Model	Input Voltage	Pump Rating	HP	Max Out. Amps	Enclosure Size	Shipping Weight	List Price
1107909	VSGD-240-1-11	208-240V, 1 Phase	208/230V, 3 Phase	2	11A	24 x 24 x 10	45 lbs.	\$5,871.00
1107910	VSGD-240-1-17.8 <sup>1</sup>	208-240V, 1 Phase	208/230V, 3 Phase	3-5	17.8A	24 x 24 x 10	62 lbs.	\$6,283.00
1114917	VSGD-240-1-28	208-240V, 1 Phase	208/230V, 3 Phase	7.5-10	28A	36 x 30 x 12	190 lbs.	\$11,278.50
1107911	VSGD-240-3-11	208-240V, 3 Phase	208/230V, 3 Phase	2	11A	24 x 24 x 10	45 lbs.	\$7,004.00
1107912	VSGD-240-3-16.5	208-240V, 3 Phase	208/230V, 3 Phase	5	16.5A	24 x 24 x 10	51 lbs.	\$7,519.00
1107913	VSGD-240-3-31.8	208-240V, 3 Phase	208/230V, 3 Phase	7.5-10	31.8A	24 x 24 x 10	62 lbs.	\$8,240.00

<sup>1</sup>Model not UL Listed

#### SELECTING THE CORRECT VFD

1. Determine the number of phase and voltage available on site. If three phase is available, use models rated for three phase incoming power.
2. Select a pump with the same voltage rating as the incoming power (motor must be three phase).
3. Check pump motor nameplate Full Load Amps (FLA) for proper VFD sizing.
4. Select a VFD with an output amp rating higher than motor FLA.



## NEX Series® Grinder Simplex Control Panel - Single phase grinder pump control panel.

Part #	Description	Pump Manufacturer	Pump Model	Pump HP	Pump FLA	Pump VAC	Shipping Weight	List Price
1108954	NEX Grinder 1 ph, Simplex - 71B	Ashland Pump	AGP-HC200M2E-35	2	18A	230/240V	7.3 lbs.	\$1,442.00
1108955	NEX Grinder 1 ph, Simplex - 87A	Champion Pump	CPG2023DSL	2	15A	230/240V	7.3 lbs.	\$1,442.00
1108956	NEX Grinder 1 ph, Simplex - 53U	Crane Pumps & Systems	ZSGV2072L	2	15A	230/240V	7.3 lbs.	\$1,442.00
1108957	NEX Grinder 1 ph, Simplex - 58E	Franklin Electric	IGP-M231	2	13.9A	230/240V	7.3 lbs.	\$1,442.00
1108958	NEX Grinder 1 ph, Simplex - 67C	Liberty Pumps	LSG202M-C	2	15A	230/240V	7.3 lbs.	\$1,442.00
1108959	NEX Grinder 1 ph, Simplex - 52B	Pentair/Hydromatic	HPG200M2-2	2	15.6A	230/240V	7.3 lbs.	\$1,442.00
1110466	NEX Grinder 1 ph, Simplex - 54R/72P	Fe Myers/Hydromatic	VS20-21/HVS200M	2	13.5A	230/240V	7.3 lbs.	\$1,442.00
1108960	NEX Grinder 1 ph, Simplex - 54A	Pentair/Fe Myers	WG20-21	2	12.5A	230/240V	7.3 lbs.	\$1,287.50
1108961	NEX Grinder 1 ph, Simplex - 57A	Zoeller	E841	2	17.2A	230/240V	7.3 lbs.	\$1,287.50
1108962	NEX Grinder 1 ph, Simplex - 70A	Wayne/Blue Angel	BARDSPGP1-2021	2	14.5A	230/240V	7.3 lbs.	\$1,287.50
1108963	NEX Grinder 1 ph, Simplex - NC	Any	2-Wire PUMP <sup>1</sup>	1-2	5-20A	230/240V	6 lbs.	\$1,133.00

<sup>1</sup>NC model has no capacitors and no start relay. It is only suitable for 2-wire pumps with built-in capacitors.

Data subject to change. Refer to the user manual for capacitor kit information. Consult pump manufacturer for updated motor data and capacitor kit requirements.

## H2O DRIVE® CONSTANT PRESSURE CONTROLS - Single phase, 240V - Variable Frequency Drive well pump control panel.

Part #	Model	HP	Max Amps	Sine Filter	Input	Pump Rating	Enclosure Size	Shipping Weight	List Price
1076917	RD150 <sup>1</sup>	0.5 - 1.5	7.5A	No	240V, 1 Phase	208/230V, 3 Phase	14 x 12 x 6	17 lbs.	\$1,854.00
1076918	RD300 <sup>1</sup>	2.0 - 3.0	11.6A	No	240V, 1 Phase	208/230V, 3 Phase	14 x 12 x 6	18 lbs.	\$1,957.00
1076919	RD500	5.0	17.8A	No	240V, 1 Phase	208/230V, 3 Phase	18 x 16 x 10	33 lbs.	\$3,399.00
1107747	RD750	7.5	28.0A	No	240V, 1 Phase	208/230V, 3 Phase	28 x 20 x 12	41 lbs.	\$5,356.00
1107690	RD1000	10	35.0A	No	240V, 1 Phase	208/230V, 3 Phase	28 x 20 x 12	44 lbs.	\$6,077.00
1107691	RD1500	15	55.0A	No	240V, 1 Phase	208/230V, 3 Phase	28 x 20 x 12	46 lbs.	\$7,519.00
1123857	RD2000	20	125A	No	240V, 1 Phase	208/230V, 3 Phase	30 x 24 x 12	150 lbs.	\$11,282.00
1123708	RD3000	30	154A	No	240V, 1 Phase	208/230V, 3 Phase	36 x 30 x 12	212 lbs.	\$13,859.00
1107750	RD150SF	0.5 - 1.5	7.5A	Yes	240V, 1 Phase	208/230V, 3 Phase	14 x 12 x 6	19 lbs.	\$2,369.00
1107751	RD300SF	2.0 - 3.0	11.6A	Yes	240V, 1 Phase	208/230V, 3 Phase	14 x 12 x 6	20 lbs.	\$2,472.00
1107752	RD500SF	5.0	17.8A	Yes	240V, 1 Phase	208/230V, 3 Phase	18 x 16 x 10	35 lbs.	\$3,990.00
1107748	RD750SF	7.5	28.0A	Yes	240V, 1 Phase	208/230V, 3 Phase	28 x 20 x 12	44 lbs.	\$5,768.00
1107692	RD1000SF	10	35.0A	Yes	240V, 1 Phase	208/230V, 3 Phase	28 x 20 x 12	47 lbs.	\$6,489.00
1107693	RD1500SF	15	55.0A	Yes	240V, 1 Phase	208/230V, 3 Phase	28 x 20 x 12	50 lbs.	\$7,931.00

<sup>1</sup>UL Listed 

### SELECTING THE CORRECT VFD

1. Determine the voltage available on site.
2. Select a well pump with the same voltage (motor must be three phase).
3. Check well pump motor nameplate Service Factor Amps (SFA) for proper VFD sizing.
4. Select a VFD with an output amp rating higher than motor SFA.
5. Use Full Load Amps (FLA) for booster pump application.

## H2O DRIVE® CONSTANT PRESSURE CONTROLS - Three phase, 240V - Variable Frequency Drive well pump control panel.

Part #	Model	HP	Max Amps	Load Reactor	Input	Pump Rating	Enclosure Size	Shipping Weight	List Price
1104992	RD502	5	19.6A	No	240V, 3 Phase	208/230V, 3 Phase	14 x 12 x 6	16.8 lbs.	\$2,575.00
1104991	RD752	7.5	30A	No	240V, 3 Phase	208/230V, 3 Phase	18 x 16 x 10	28.7 lbs.	\$3,605.00
1104989	RD1002	10	40A	No	240V, 3 Phase	208/230V, 3 Phase	18 x 16 x 10	36.8 lbs.	\$4,017.00
1104988	RD1502	15	56A	No	240V, 3 Phase	208/230V, 3 Phase	28 x 20 x 12	67.9 lbs.	\$5,253.00
1104986	RD2002	20	69A	No	240V, 3 Phase	208/230V, 3 Phase	28 x 20 x 12	68.4 lbs.	\$6,077.00
1104984	RD2502	25	88A	No	240V, 3 Phase	208/230V, 3 Phase	28 x 20 x 12	80.3 lbs.	\$6,695.00
1104982	RD3002	30	115A	No	240V, 3 Phase	208/230V, 3 Phase	28 x 20 x 12	80.3 lbs.	\$7,519.00
1106583	RD502LR	5	19.6A	Yes	240V, 3 Phase	208/230V, 3 Phase	18 x 16 x 10	42.5 lbs.	\$3,045.00
1106582	RD752LR	7.5	30A	Yes	240V, 3 Phase	208/230V, 3 Phase	28 x 20 x 12	77.3 lbs.	\$4,944.00
1106580	RD1002LR	10	40A	Yes	240V, 3 Phase	208/230V, 3 Phase	28 x 20 x 12	87.3 lbs.	\$5,871.00
1106579	RD1502LR	15	56A	Yes	240V, 3 Phase	208/230V, 3 Phase	28 x 20 x 12	91.9 lbs.	\$6,798.00
1106577	RD2002LR	20	69A	Yes	240V, 3 Phase	208/230V, 3 Phase	28 x 20 x 12	93.4 lbs.	\$7,622.00
1106575	RD2502LR	25	88A	Yes	240V, 3 Phase	208/230V, 3 Phase	28 x 20 x 12	105.3 lbs.	\$8,240.00
1106573	RD3002LR	30	115A	Yes	240V, 3 Phase	208/230V, 3 Phase	28 x 20 x 12	109.3 lbs.	\$9,476.00

### SELECTING THE CORRECT VFD

1. Determine the voltage available on site.
2. Select a well pump with the same voltage (motor must be three phase).
3. Check well pump motor nameplate Service Factor Amps (SFA) for proper VFD sizing.
4. Select a VFD with an output amp rating higher than motor SFA.
5. Use Full Load Amps (FLA) for booster pump application.

## H2O DRIVE® CONSTANT PRESSURE CONTROLS - Three phase, 480V - Variable Frequency Drive well pump control panel.

Part #	Model	HP	Max Amps	Load Reactor	Input	Pump Rating	Enclosure Size	Shipping Weight	List Price
1104994	RD304	3	6.9A	No	480V, 3 Phase	460V, 3 Phase	18 x 16 x 10	33.5 lbs.	\$2,781.00
1104993	RD504	5	11.1A	No	480V, 3 Phase	460V, 3 Phase	18 x 16 x 10	33.5 lbs.	\$3,090.00
1104990	RD1004	7.5-10	17.5A	No	480V, 3 Phase	460V, 3 Phase	28 x 20 x 12	61.3 lbs.	\$4,635.00
1104987	RD2004	15-20	35.0A	No	480V, 3 Phase	460V, 3 Phase	28 x 20 x 12	66.5 lbs.	\$5,768.00
1104985	RD2504	25	45.0A	No	480V, 3 Phase	460V, 3 Phase	28 x 20 x 12	80.3 lbs.	\$7,519.00
1104983	RD3004	30	60.0A	No	480V, 3 Phase	460V, 3 Phase	28 x 20 x 12	80.3 lbs.	\$8,343.00
1106585	RD304LR	3	6.9A	Yes	480V, 3 Phase	460V, 3 Phase	18 x 16 x 10	50.5 lbs.	\$3,605.00
1106584	RD504LR	5	11.1A	Yes	480V, 3 Phase	460V, 3 Phase	18 x 16 x 10	50.5 lbs.	\$3,811.00
1106581	RD1004LR	7.5-10	17.5A	Yes	480V, 3 Phase	460V, 3 Phase	28 x 20 x 12	78.3 lbs.	\$5,775.00
1106578	RD2004LR	15-20	35.0A	Yes	480V, 3 Phase	460V, 3 Phase	28 x 20 x 12	83.6 lbs.	\$6,798.00
1106576	RD2504LR	25	45.0A	Yes	480V, 3 Phase	460V, 3 Phase	28 x 20 x 12	93.8 lbs.	\$8,755.00
1106574	RD3004LR	30	60.0A	Yes	480V, 3 Phase	460V, 3 Phase	28 x 20 x 12	114.3 lbs.	\$10,197.00
1110360	RD5004LR	40-50	77.0A	Yes	480V, 3 Phase	460V, 3 Phase	36 x 30 x 12	170.0 lbs.	\$14,317.00
1110361	RD6004LR	60	93.0A	Yes	480V, 3 Phase	460V, 3 Phase	36 x 30 x 12	215.0 lbs.	\$16,377.00
1122156	RD7504LR	75	116A	Yes	480V, 3 Phase	460V, 3 Phase	36 x 36 x 12	280.0 lbs.	\$27,511.57

### SELECTING THE CORRECT VFD

1. Determine the voltage available on site.
2. Select a well pump with the same voltage (motor must be three phase).
3. Check well pump motor nameplate Service Factor Amps (SFA) for proper VFD sizing.
4. Select a VFD with an output amp rating higher than motor SFA.
5. Use Full Load Amps (FLA) for booster pump application.
6. The H2O Drive® can be used with non-submersible pump applications such as booster pumps. Use the Full Load Amps (FLA) for VFD sizing for booster pump applications.
7. A load reactor is recommended for well pumps and for long motor cable applications.



Part #	Description	Model	Motor Amps	Motor HP	Branch Circuit Protection	Enclosure Size (inches)	Ship Weight	List Price
1066673	Endura™ Duplex 208/240V, 3-5 HP	EN32-240-16.5	16.5	3-5	Circuit Breakers	24x24x10 Polycarbonate	50.7 lbs.	\$7,771.09
1066674	Endura™ Duplex 208/240V, 7.5-10 HP	EN32-240-31.8	31.8	7.5-10	Circuit Breakers	24x24x10 Polycarbonate	61.7 lbs.	\$8,460.68
1066675	Endura™ Duplex 208/240V, 15-20 HP	EN32-240-58.0	58.0	15-20	Circuit Breakers	36x30x12 Painted Steel	114.6 lbs.	\$12,545.14
1066676	Endura™ Duplex 480V, 3-5 HP	EN32-480-8.0	8.0	3-5	Fuses	24x24x10 Polycarbonate	50.7 lbs.	\$7,983.27
1066677	Endura™ Duplex 480V, 7.5-10 HP	EN32-480-16.0	16.0	7.5-10	Fuses	24x24x10 Polycarbonate	61.7 lbs.	\$9,733.76
1066678	Endura™ Duplex 480V, 15-20 HP	EN32-480-29.5	29.5	15-20	Circuit Breakers	36x30x12 Painted Steel	114.6 lbs.	\$11,696.42
1064132	Endura™ Triplex 208/240V, 3-5 HP	EN33-240-16.5	16.5	3.5-5	Circuit Breakers	24x24x10 Polycarbonate	55.1 lbs.	\$9,468.53
1066679	Endura™ Triplex 208/240V, 7.5-10 HP	EN33-240-31.8	31.8	7.5-10	Circuit Breakers	36x30x12 Painted Steel	114.6 lbs.	\$10,317.25
1066680	Endura™ Triplex 208/240V, 15-20 HP	EN33-240-58.0	58.0	15-20	Circuit Breakers	36x36x12 Painted Steel	130.1 lbs.	\$16,099.16
1064133	Endura™ Triplex 480V, 3-5 HP	EN33-480-8.0	8.0	3-5	Fuses	24x24x10 Polycarbonate	55.1 lbs.	\$9,786.80
1066681	Endura™ Triplex, 480V, 7.5-10 HP	EN33-480-16.0	16.0	7.5-10	Fuses	36x30x12 Painted Steel	114.6 lbs.	\$12,041.22
1066682	Endura™ Triplex 480V, 15-20 HP	EN33-480-29.5	29.5	15-20	Circuit Breakers	36x36x12 Painted Steel	130.1 lbs.	\$15,223.92
<b>OPTIONS</b>	<b>Description</b>							<b>List Price</b>
MD	Main Disconnect with Door Operator (not available on Motor HP Range 15-20)							Call Factory
PM	Phase Monitor with Digital Display (not available on Motor HP Range 15-20)							Call Factory
1036351	Surge Arrestor with Bracket							\$485.10

**NOTE:** HP rating is based on standard NEMA B 4-pole motor (used for indication only, use nameplate FLA for sizing). The output voltage of the VFD cannot exceed the incoming voltage. Example: 208V in, 208V out (max).

## SELECTING THE CORRECT VFD CONTROL PANEL

**Verify your system requirements before ordering. Endura™ Control Panels cannot be returned.**

1. Determine the voltage available on site.
2. Select pumps with the same voltage (motor must be 3 phase).
3. Check pump motor nameplate Full Load Amps (FLA) for proper VFD sizing.
4. Select a VFD with an output amp rating higher than motor FLA.
5. Use motor Service Factor Amps (SFA) for submersible well pump applications for VFD sizing.

## MAXIMUM MOTOR CABLE LENGTHS

**For 208V-240V pumps:** 400 ft (122m). For cable lengths greater than 400 ft (122m), use a load reactor for each pump. Do not exceed 800 ft (244m)  
**For 380V-480V pumps:** 50 ft (15m). For cable lengths greater than 50 ft (15m), use a load reactor for each pump. Do not exceed 300 ft (91m).

## SPECIFICATIONS

**POWER:** Available HP Range 208V~240V or 380~480V

Three Phase, 3.0HP - 20.0HP

**CONTROL:** P.I.D. control

Adjustable electronic overload

Auto Start on pressure drop (adjustable)

Auto Stop on low Hz (No-Flow - sleep mode)

Lead/Lag/Lag-Lag operation

Auto alternation on Run Time

## ENVIRONMENTAL:

**Operating temperature:** 32°F to 113°F (0°C to 45°C)

**Storage temperature:** -4°F to 140°F (-20°C to 60°C)

**Altitude:** maximum of 3,280 ft (1,000m) above sea level

**WELLZONE® Pressure Controller** - 2-wire single phase well pump control panel.

Part #	Description	Shipping Weight	List Price
1076886	WellZone® 2W-150	3.8 lbs.	\$647.15

**WELLZONE® Pressure Controller** - 3-wire single phase well pump control panel.

Part #	Description	HP	Volts	SFA	Shipping Weight	List Price
1094602	WellZone® 3W-050	.5	230	4.3	7.3	\$1,184.50
1094603	WellZone® 3W-075	.75	230	5.7	7.3	\$1,184.50
1094604	WellZone® 3W-100	1	230	7.1	7.3	\$1,030.00
1094605	WellZone® 3W-150	1.5	230	11.5	7.3	\$1,133.00
1094606	WellZone® 3W-200	2	230	13.2	7.3	\$1,236.00
1094638	WellZone® 3W-300	3	230	17.0	7.3	\$1,236.00

**WELLZONE™ 2-WIRE AND 3-WIRE PRESSURE CONTROLLER ACCESSORIES (OPTIONAL)**
**WS360 Water Sensor**

The WS360 water sensor, when connected to a WellZone® Pressure Controller, is designed to warn of potential water damage to end users. Place this sensor in any location where there is a risk of water damage: utility room, laundry, kitchen, bathroom, basement, etc. When water reaches any side, top or bottom of the 360° sensor, the WellZone® Pressure Controller will stop the pump and display the alarm fault "WATER SW". One-year limited warranty.



U.S. Patent No.  
10,393,687

Part #	Description	Shipping Weight	List Price
1078433	360 degree water sensor with 20 ft. cable	0.26 lbs.	\$132.56

**Transducer Kit**

This 0-150 PSI transducer provides continuous level monitoring. It measures the discharge pressure of the water at the sensor and outputs a standard 4-20mA signal proportional to the water pressure.



Part #	Description	Shipping Weight	List Price
1077481	Transducer with cable, 4-20mA, 0-150 PSI, bagged	0.5 lbs	\$386.25

**MODEL 126** - Single phase, duplex alternating pump control with override for water well applications.

<b>126</b>	<b>0</b>	<b>W</b>			<b>0</b>	<b>X</b>	<b>10E</b>
CONTROL PANEL	ALARM PACKAGE	ENCLOSURE RATING	STARTING DEVICE	PUMP FULL LOAD AMPS	PUMP DISCONNECTS	LEVEL CONTROL APPLICATION	OPTIONS

CONTROL PANEL	✓	126	Single Phase Duplex with Override	\$1,000.08
ALARM PACKAGE	✓	0	No Alarm Package	Base
ENCLOSURE RATING	✓	W	Weatherproof, NEMA 4X (engineered thermoplastic)	Base
STARTING DEVICE		0	No Starting Device - Control Only (must select "0" for Pump Full Load Amps)	Base
		1	Magnetic Motor Contactor 120/208/240V	\$119.88
PUMP FULL LOAD AMPS		0	0 - 7 FLA	Base
		1	7 - 15 FLA	Base
		2	15 - 20 FLA	Base
		3	20 - 30 FLA	\$27.00
PUMP DISCONNECTS	✓	0	No Pump Disconnect	Base
LEVEL CONTROL APPLICATION	✓	X	No Pressure Switches	Base

PRICING WORKSHEET	Model 126 Base Price	\$1,000.08
	Enclosure Rating	_____
	Starting Device	_____
	Pump Full Load Amps	_____
	Total Options	_____
	<b>TOTAL LIST PRICE</b>	_____

OPTIONS	DESCRIPTION	LIST PRICE
6T	Normally Open Non-Powered Chemical Free Pump Contacts	\$175.10
✓ 10E	Lockable Latch - NEMA 4X (included as standard, must select Enclosure Rating W above)	\$0.00

For additional control panel options, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).



SJE RHOMBUS.

Prices Effective January 22, 2026

California Prop 65 requires the following: **WARNING** Cancer and Reproductive Harm - [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)

## SELECT START™ STARTER BOXES - Three phase starter boxes for motor control.

Part #	Description	Amps	Thru Door Pump Disconnect	Overload Module	Shipping Weight	List Price
1041336	Starter Box, Three Phase, 208/240/480 VAC	3-12	No	Yes	12 lbs.	\$1,443.88
1040968	Starter Box, Three Phase, 208/240/480 VAC	8-32	No	Yes	12 lbs.	\$1,443.88
1041467	Starter Box, Three Phase, 208/240/480 VAC	3-12	Yes	Yes	24 lbs.	\$1,901.13
1041468	Starter Box, Three Phase, 208/240/480 VAC	8-32	Yes	Yes	24 lbs.	\$1,901.13
1041470	Starter Box, Three Phase, 208/240/480 VAC	3-32	Yes	No*	24 lbs.	\$1,761.09
1044585	Starter Box, Three Phase, 575 VAC	3-12	No	Yes	24 lbs.	\$1,443.88
1044587	Starter Box, Three Phase, 575 VAC	3-12	Yes	Yes	24 lbs.	\$1,901.13
1044588	Starter Box, Three Phase, 575 VAC	8-32	Yes	Yes	24 lbs.	\$1,901.13
1044590	Starter Box, Three Phase, 575 VAC	3-32	Yes	No*	24 lbs.	\$1,761.09
1036510	Overload Module, 120 VAC, 3-12 FLA	3-12	--	--	0.30 lbs.	\$160.55
1033806	Overload Module, 120 VAC, 8-32 FLA	8-32	--	--	0.30 lbs.	\$160.55

\*NOTE: Starter Boxes ordered Without Overload Module will require Overload Module to be added in order to operate.

## SELECT START™ LT STARTER BOXES - Three phase starter boxes for motor control.

Part #	Description	Amps	Enclosure Size	Shipping Weight	List Price
1107516	Starter Box LT, Three Phase, 230 VAC	2.5-4	12x10x6	10 lbs.	\$803.40
1107517	Starter Box LT, Three Phase, 230 VAC	4-6	12x10x6	10 lbs.	\$803.40
1107518	Starter Box LT, Three Phase, 230 VAC	5.5-8	12x10x6	10 lbs.	\$803.40
1107520	Starter Box LT, Three Phase, 230 VAC	7-10	12x10x6	10 lbs.	\$803.40
1107521	Starter Box LT, Three Phase, 230 VAC	9-13	12x10x6	10 lbs.	\$803.40
1107522	Starter Box LT, Three Phase, 230 VAC	12-18	12x10x6	10 lbs.	\$803.40
1107523	Starter Box LT, Three Phase, 230 VAC	16-24	12x10x6	10 lbs.	\$803.40
1107579	Starter Box LT, Three Phase, 230 VAC	23-32	12x10x6	10 lbs.	\$803.40
1107580	Starter Box LT, Three Phase, 230 VAC	30-40	14x12x6	15 lbs.	\$1,174.20
1107581	Starter Box LT, Three Phase, 230 VAC	37-50	14x12x6	15 lbs.	\$1,174.20
1107582	Starter Box LT, Three Phase, 230 VAC	48-65	14x12x6	15 lbs.	\$1,174.20
1107959	Starter Box LT Tank Fill Option*			0.5 lbs.	\$540.75

\*Control float switches sold separately.

## XPERT ALERT® RF - Wireless technology connecting an outdoor control panel to an indoor alarm.

Part #	Description	Shipping Weight	List Price
1069102	Xpert Alert® RF (includes Xpert Alert®, receiver module, and panel module)	1.65 lbs.	\$618.62
1069097	Xpert Alert® RF, 4X (includes Xpert Alert®, receiver module, and panel module in NEMA 4X enclosure)	4.15 lbs.	\$705.14
1069103	Xpert Alert® RF WiFi (includes Xpert Alert® WiFi, receiver module, and panel module)	1.65 lbs.	\$859.79
1069099	Xpert Alert® RF WiFi, 4X (includes Xpert Alert® WiFi, receiver module, and panel module in NEMA 4X enclosure)	4.15 lbs.	\$946.31

## XPERT ALERT® - Easy-to-install liquid level alarm system with low temperature alarm and battery backup features for indoor use.

Part #	Description	Shipping Weight	List Price
1056754	Xpert Alert®, 120V, High w/ 10' SJE MilliAmpMaster™ Float	1.85 lbs.	\$144.38
1057333	Xpert Alert®, 120V, no float	0.85 lbs.	\$117.81

MASTER CARTON holds 16 boxed units.

## XPERT ALERT® WIFI - Easy-to-install indoor alarm system with WiFi connectivity, remote notification, 2 alarm inputs, temperature alarm, auto reset and battery backup.

Part #	Description	Shipping Weight	List Price
1060316	Xpert Alert® WiFi, 120V, High w/ 10' SJE MilliAmpMaster™ Float	1.85 lbs.	\$478.02
1061894	Xpert Alert® WiFi, 120V, no float	0.85 lbs.	\$440.17
1070659	WS360 Water Sensor & Adapter, with 20 ft. cable (for use with WiFi alarm)	0.33 lbs.	\$75.71
1070875	WS360 Water sensor only, with 20 ft. cable (to connect multiple WS360 units)	0.26 lbs.	\$59.48
1070876	20 ft. extension cable	0.18 lbs.	\$28.67

MASTER CARTON holds 16 boxed units.

**TANK ALERT® AB** - Easy-to-install liquid level alarm system with auto reset and battery backup features for indoor use.

Part #	Description	Shipping Weight	List Price
1011421	TA AB-01H (120 VAC w/15' SJE SignalMaster® High Level)	2.73 lbs.	\$158.64
1011424	TA AB-01L (120 VAC w/15' SJE SignalMaster® Low Level)	2.73 lbs.	\$158.64
1011422	TA AB-01H (120 VAC w/15' Sensor Float® High Level)	2.81 lbs.	\$173.50
1011423	TA AB-01X (120 VAC no float)	1.44 lbs.	\$116.62
1012668	TA AB-01HAUX (120 VAC w/15' SJE SignalMaster® High Level & Auxiliary Contacts)	2.75 lbs.	\$184.91
1021932	TA AB-01XAUX (120 VAC no float w/Auxiliary Contacts)	1.46 lbs.	\$145.66
<b>OPTION AUX</b>	Alarm Auxiliary Contacts (factory installed option only)	NA	\$27.05

H = High Level L = Low Level X = No Float AUX = Auxiliary Contacts **MASTER CARTON holds 16 boxed units.**

**CONTROL SWITCH OPTIONS**

The Tank Alert® AB alarm system comes standard with a 15ft SJE SignalMaster® control switch with mounting clamp. Other float switches are available. See control switch section of the catalog. To determine the price of alarm with an alternate float, add the price of the part number with "no float" to the price of the float switch.

**TANK ALERT® AB DUO** - Easy-to-install indoor alarm featuring two alarm inputs to monitor two level conditions. Includes auto reset and battery backup features.

Part #	Description	Shipping Weight	List Price
1036378	TA AB DUO-01H (120 VAC w/15' SJE SignalMaster® High Level)	2.73 lbs.	\$257.04
1038473	TA AB DUO-01HAUX (120 VAC w/15' SJE SignalMaster® High Level w/Auxiliary Contacts)	2.75 lbs.	\$283.82
1052956	TA AB DUO-01X (120 VAC - no float switch)	1.50 lbs.	\$199.21

H = High Level X = No Float AUX = Auxiliary Contacts **MASTER CARTON holds 16 boxed units.**

**TANK ALERT® I** - Easy-to-install liquid level alarm system for indoor use.

Part #	Description (120V)	Shipping Weight	List Price
1007457	101-01H (120 VAC w/15' SJE SignalMaster® High Level)	3.58 lbs	\$220.63
1009207	101-01HSPKT (120 VAC w/15' SJE SignalMaster® High Level) with splice kit	3.58 lbs.	\$232.52
1003104	101-01H (120 VAC w/15' Sensor Float® High Level)	3.58 lbs.	\$233.60
1003365	101-01L (120 VAC w/15' Sensor Float® Low Level)	3.58 lbs.	\$233.60
1002235	101-01X (120 VAC no float)	2.14 lbs.	\$163.52
Part #	Description (230V)	Shipping Weight	List Price
1008009	101-02H (230 VAC w/15' SJE SignalMaster® High Level)	3.58 lbs.	\$307.15
1003364	101-02H (230 VAC w/15' Sensor Float® High Level)	3.58 lbs.	\$321.21
1005420	101-02L (230 VAC w/15' Sensor Float® Low Level)	3.58 lbs.	\$321.21
1005419	101-02X (230 VAC no float)	2.14 lbs.	\$246.58

H = High Level L = Low Level X = No Float SPKT = Splice Kit **MASTER CARTON holds 16 boxed units.**

**CONTROL SWITCH OPTIONS**

The Tank Alert® I alarm system comes standard with a 15 foot SJE SignalMaster® control switch with mounting clamp. Other float switches are available. See control switch section of the catalog. To determine the price of alarm with an alternate float, add the price of the part number with "no float" to the price of the float switch.

**TANK ALERT® EZ** - Easy-to-install indoor/outdoor alarm system features a removable cover to provide greater access for easier field wiring. Two-color molded enclosure integrates red LED beacon.

Part #	Description (120V)	Shipping Weight	List Price
1036589	TAEZ-01H (120 VAC w/15' SJE SignalMaster® High Level)	2.75 lbs.	\$266.85
1036590	TAEZ-01H (120 VAC w/15' SJE Sensor Float® High Level)	2.75 lbs.	\$279.46
1036591	TAEZ-01X (120 VAC no float)	1.50 lbs.	\$214.32
1038019	TAEZ-01L (120 VAC w/15' SJE SignalMaster® Low Level)	2.75 lbs.	\$266.85
1038020	TAEZ-01L (120 VAC w/15' SJE Sensor Float® Low Level)	2.75 lbs.	\$279.46
Part #	Description (120V with Terminal Block)	Shipping Weight	List Price
1036592	TAEZ-01HTB (120 VAC w/15' SJE SignalMaster® High Level Terminal Block)	2.75 lbs.	\$275.26
1036593	TAEZ-01HTB (120 VAC w/15' Sensor Float® High Level Terminal Block)	2.75 lbs.	\$287.86
1036594	TAEZ-01XTB (120 VAC no float w/Terminal Block)	1.50 lbs.	\$222.73
1038035	TAEZ-01LTB (120 VAC w/15' SJE SignalMaster® Low Level Terminal Block)	2.75 lbs.	\$275.26
1038036	TAEZ-01LTB (120 VAC w/15' Sensor Float® Low Level Terminal Block)	2.75 lbs.	\$287.86
Part #	Description (240V)	Shipping Weight	List Price
1036595	TAEZ-02H (240 VAC w/15' SJE SignalMaster® High Level)	2.75 lbs.	\$271.05
1036596	TAEZ-02X (240 VAC no float)	1.50 lbs.	\$218.52
Part #	Description (240V with Terminal Block)	Shipping Weight	List Price
1036597	TAEZ-02HTB (240 VAC w/15' SJE SignalMaster® High Level w/Terminal Block)	2.75 lbs.	\$279.46
1036598	TAEZ-02XTB (240 VAC no float w/Terminal Block)	1.50 lbs.	\$226.93
<b>OPTION PC</b>	6' power cord with two RCC8 1/2" liquid-tight connectors (120V Model Only)	NA	\$41.10

H = High Level L = Low Level X = No Float TB = Includes Terminal Block **MASTER CARTON holds 12 boxed units.**

### CONTROL SWITCH OPTIONS

The Tank Alert® EZ alarm system comes standard with a 15 foot SJE SignalMaster® control switch with mounting clamp. Other float switches are available. See control switch section of the catalog. To determine the price of alarm with an alternate float, add the price of the part number with "no float" to the price of the float switch.

**TANK ALERT® EZ DUO** - Versatile, indoor or outdoor alarm system featuring two alarm inputs to monitor two level conditions.

Part #	Description (120V DUO ALARM)	Shipping Weight	List Price
1052096	TAEZ-01HDUO (120 VAC w/ (2) 15' SJE SignalMasters®)	3.50 lbs.	\$440.18
1052094	TAEZ-01HDUO (120 VAC w/ 15' SJE SignalMasters®)	2.75 lbs.	\$384.49
1052097	TAEZ-01XDUO (120 VAC - no float switch)	1.50 lbs.	\$328.80

H = High Level X = No Float DUO = Dual Alarm Inputs **MASTER CARTON holds 12 boxed units.**

### CONTROL SWITCH OPTIONS

The Tank Alert® EZ DUO alarm system comes standard with a 15 foot SJE SignalMaster® control switch with mounting clamp. Other float switches are available. See control switch section of the catalog. To determine the price of alarm with an alternate float, add the price of the part number with "no float" to the price of the float switch.

**TANK ALERT® XT** - Versatile, indoor or outdoor liquid level alarm system.

Part #	Description (120V)	Shipping Weight	List Price
1009923	TAXT-01H (120 VAC w/15' SJE SignalMaster® High Level)	3.00 lbs.	\$292.07
1010251	TAXT-01L (120 VAC w/15' SJE SignalMaster® Low Level)	3.00 lbs.	\$292.07
1004442	TAXT-01H (120 VAC w/15' Sensor Float® High Level)	3.00 lbs.	\$309.52
1005140	TAXT-01L (120 VAC w/15' Sensor Float® Low Level)	3.00 lbs.	\$309.52
1005141	TAXT-01X (120 VAC no float)	1.50 lbs.	\$235.33
Part #	Description (120V with Terminal Block)	Shipping Weight	List Price
1012416	TAXT-01HAUXTB (120 VAC w/15' SJE SignalMaster® High Level Aux Con TB)	3.50 lbs.	\$374.01
1022241	TAXT-01HTB (120 VAC w/15' SJE SignalMaster® High Level TB)	3.50 lbs.	\$300.47
1005481	TAXT-01HTB (120 VAC w/15' Sensor Float® High Level TB)	3.50 lbs.	\$318.09
1005835	TAXT-01LTB (120 VAC w/15' Sensor Float® Low Level TB)	3.50 lbs.	\$318.09
1005836	TAXT-01XTB (120 VAC no float TB)	2.00 lbs.	\$243.74
1009214	TAXT-01HAUXTB (120 VAC w/15' SJE Sensor Float® High Level Aux Con TB)	3.50 lbs.	\$385.57
Part #	Description (120V with Options)	Shipping Weight	List Price
1006850	TAXT-01HAUX (120 VAC w/15' Sensor Float® High Level Auxiliary Contacts)	3.50 lbs.	\$377.17
1006690	TAXT-01HPC (120 VAC w/15' Sensor Float® High Level Power Cord)	3.50 lbs.	\$351.29
1032257	TAXT-01HAUX (120VAC w/ 15' SJE SignalMaster® High Level Auxiliary Contacts)	3.1 lbs.	\$365.61
1057473	TAXT-01HPC (120 VAC w/15' SJE SignalMaster® High Level Power Cord)	3.3 lbs.	\$333.04
OPTION AUX	Auxiliary contacts (factory installed option only)	N/A	\$75.71
OPTION PC	6' power cord with two RCC8 1/2" liquid-tight connectors	N/A	\$42.18

H = High Level L = Low Level X = No Float TB = Includes Terminal Block PC = Power Cord AUX = Auxiliary Contacts

MASTER CARTON holds 12 boxed units.

**CONTROL SWITCH OPTIONS**

The Tank Alert® XT alarm system comes standard with a 15 foot SJE SignalMaster® control switch with mounting clamp. Other float switches are available. See control switch section of the catalog. To determine the price of alarm with an alternate float, add the price of the part number with "no float" to the price of the float switch.

**TANK ALERT® 4X** - Easy-to-install liquid level alarm system which has a NEMA 4X enclosure for indoor or outdoor use.

Part #	Description	Shipping Weight	List Price
1112201	4X-01HSGM (120 VAC w/15' SJE SignalMaster® High Level)	3.90 lbs.	\$532.57
1112202	4X-01LSGM (120 VAC w/15' SJE SignalMaster® Low Level)	3.90 lbs.	\$532.57
1112199	4X-01X (120 VAC no float)	2.60 lbs.	\$474.22

H = High Level L = Low Level X = No Float MASTER CARTON holds 3 boxed units.

**CONTROL SWITCH OPTIONS**

The Tank Alert® 4X alarm system comes standard with a 15 foot SJE SignalMaster® control switch with mounting clamp. Other float switches are available. See control switch section of the catalog. To determine the price of alarm with an alternate float, add the price of the part number with "no float" to the price of the float switch.

**TANK ALERT® SOLAR** - Versatile, indoor or outdoor solar powered alarm system.

Part #	Description	Shipping Weight	List Price
1052473	TA Solar Alarm, w/ 20ft SJE SignalMaster® High level, 10W Solar Panel	9.00 lbs.	\$688.92
1052474	TA Solar Alarm, w/ 20ft SJE SignalMaster® Low level, 10W Solar Panel	9.00 lbs.	\$688.92
1052475	TA Solar Alarm, No Float, 10W Solar Panel	7.50 lbs.	\$626.19

**CONTROL SWITCH OPTIONS**

The Tank Alert® Solar alarm system comes standard with a 20 foot SJE SignalMaster® control switch with mounting clamp. Other lengths and floats switches available. See control switch section of the catalog. To determine the price of alarm with an alternate float, add the price of the part number with "no float" to the price of the float switch.



**C-CON™ CONVERTER BOX (120V)** - Converts any float-operated control panel to utilize the C-Level™ CL40 floatless sensor.

Part #	Description	Shipping Weight	List Price
1093696	C-Con™ Converter Box w/C-Level™ CL40 Sensor with 25' Vented Cable	2.44 lbs.	\$922.62
1093699	C-Con™ Converter Box w/C-Level™ CL40 Sensor with 50' Vented Cable	3.13 lbs.	\$977.44
1093702	C-Con™ Converter Box w/C-Level™ CL40 Sensor with 100' Vented Cable	4.51 lbs.	\$1,108.40
1031067	C-Con™ Converter Box without C-Level™ CL40 sensor	1.08 lbs.	\$484.38

**SJE LEVEL MONITOR™ CL (120V)** - Monitors tank levels by utilizing the C-Level™ floatless sensor.

Part #	Description	Shipping Weight	List Price
1087297	SJE Level Monitor™ CL w/C-Level™ CL40 Sensor with 25' Vented Cable	2.19 lbs.	\$824.42
1087298	SJE Level Monitor™ CL w/C-Level™ CL40 sensor with 50' Vented Cable	2.88 lbs.	\$877.72
1087299	SJE Level Monitor™ CL w/C-Level™ CL40 sensor with 100' Vented Cable	4.26 lbs.	\$985.45
1087300	SJE Level Monitor™ CL w/C-Level™ CL40 sensor with 200' Vented Cable	7.02 lbs.	\$1,235.22
1087301	SJE Level Monitor™ CL w/C-Level™ CL40 sensor with 300' Vented Cable	9.78 lbs	\$1,456.83
1087302	SJE Level Monitor™ CL w/C-Level™ CL100 sensor with 25' Vented Cable	2.19 lbs.	\$824.42
1087303	SJE Level Monitor™ CL w/C-Level™ CL100 sensor with 50' Vented Cable	2.88 lbs.	\$877.72
1087304	SJE Level Monitor™ CL w/C-Level™ CL100 sensor with 100' Vented Cable	4.26 lbs.	\$985.45
1031877	SJE Level Monitor™ CL (no C-Level™ sensor)	0.83 lbs.	\$369.68

**SUB-X™ TRANSMITTER** - Submersible level transmitter with 4-20mA output.

Part #	Description	Shipping Weight	List Price
1107758	Sub-X™ 8.3 ftWC with 25 ft. Cable	5.3 lbs.	\$705.50
1107759	Sub-X™ 8.3 ftWC with 50 ft. Cable	6.2 lbs.	\$831.75
1107760	Sub-X™ 8.3 ftWC with 75 ft. Cable	7.0 lbs.	\$938.90
1107761	Sub-X™ 8.3 ftWC with 100 ft. Cable	8.3 lbs.	\$1,048.17
1107763	Sub-X™ 16.7 ftWC with 25 ft. Cable	5.3 lbs.	\$705.50
1107764	Sub-X™ 16.7 ftWC with 50 ft. Cable	6.2 lbs.	\$831.75
1107765	Sub-X™ 16.7 ftWC with 75 ft. Cable	7.0 lbs.	\$938.90
1107766	Sub-X™ 16.7 ftWC with 100 ft. Cable	8.3 lbs.	\$1,048.17
1107768	Sub-X™ 33.4 ftWC with 25 ft. Cable	5.3 lbs.	\$705.50
1107769	Sub-X™ 33.4 ftWC with 50 ft. Cable	6.2 lbs.	\$831.75
1107770	Sub-X™ 33.4 ftWC with 75 ft. Cable	7.0 lbs.	\$938.90
1107771	Sub-X™ 33.4 ftWC with 100 ft. Cable	8.3 lbs.	\$1,048.17
Options			
1052814	6 Hook Bracket	2 lbs.	\$190.28

**SUB-X™ LT TRANSMITTER** - Submersible level transmitter with 4-20mA output.

Part #	Description	Shipping Weight	List Price
1107978	Sub-X™ LT 100 inWC with 25 ft. Cable	1.34 lbs.	\$427.45
1107979	Sub-X™ LT 100 inWC with 50 ft. Cable	2.08 lbs.	\$489.25
1107980	Sub-X™ LT 100 inWC with 100 ft. Cable	3.64 lbs.	\$612.85
1107981	Sub-X™ LT 100 inWC with 150 ft. Cable	5.2 lbs.	\$736.45
1107982	Sub-X™ LT 100 inWC with 200 ft. Cable	6.75 lbs.	\$860.05

**SUB-X™ IS TRANSMITTER** - Submersible level transmitter with 4-20mA output.

Part #	Description	Shipping Weight	List Price
1122747	Sub-X™ IS 11.5 ftWC with 50 ft. Cable	6.2 lbs.	\$1,795.14
1122746	Sub-X™ IS 11.5 ftWC with 75 ft. Cable	7.0 lbs.	\$1,888.33
1122745	Sub-X™ IS 11.5 ftWC with 100 ft. Cable	8.3 lbs.	\$1,981.53
1122744	Sub-X™ IS 34.6 ftWC with 50 ft. Cable	6.2 lbs.	\$1,795.14
1122743	Sub-X™ IS 34.6 ftWC with 75 ft. Cable	7.0 lbs.	\$1,888.33
1122742	Sub-X™ IS 34.6 ftWC with 100 ft. Cable	8.3 lbs.	\$1,981.53

**SJE PUMPMASTER® WPS PUMP SWITCH** - Mechanically activated, wide angle float switch designed for use in potable water applications.

Part #	Description	Shipping Weight	List Price
1047427	15PMWPSWE	3.3 lbs.	\$139.06
1053697	30PMWPSWE	5.1 lbs.	\$174.28

WE = Weighted Externally

Can be wired to work in either pump down (normally open) or pump up (normally closed) applications (Single Pole, Double Throw).

**EXTERNAL WEIGHT** is standard.

**PACKAGING:** Boxed - standard

**SJE PUMPMASTER®, SJE PUMPMASTER® PLUS, SJE PUMPMASTER® SPDT PUMP SWITCHES** - Mechanically activated, wide angle switches designed for direct control of pumps.

SJE PumpMaster® Pump Switch					
Part #	Description - Pump Down 	Part #	Description - Pump Up 	Shipping Weight	List Price
1002630	10PMD1WP	1002707	10PMU1WP	1.64 lbs.	\$99.81
1002714	10PMD2WP	1002709	10PMU2WP	1.68 lbs.	\$102.96
1002712	10PMDWOP	1002706	10PMUWOP	1.56 lbs.	\$87.20
1002715	15PMD1WP	1002721	15PMU1WP	1.89 lbs.	\$105.06
1002717	15PMD2WP	1002723	15PMU2WP	1.93 lbs.	\$108.21
1002719	15PMDWOP	1002725	15PMUWOP	1.82 lbs.	\$92.45
1036754	15PMD1WP-QF			1.95 lbs.	\$111.36
1002727	20PMD1WP	1002733	20PMU1WP	2.28 lbs.	\$110.31
1002729	20PMD2WP	1002735	20PMU2WP	2.32 lbs.	\$113.46
1002731	20PMDWOP	1002737	20PMUWOP	2.20 lbs.	\$97.71
1002739	30PMD1WP	1002745	30PMU1WP	2.94 lbs.	\$121.87
1002741	30PMD2WP	1002747	30PMU2WP	2.99 lbs.	\$125.02
1002743	30PMDWOP	1002749	30PMUWOP	2.86 lbs.	\$109.26

SJE PumpMaster® Plus Pump Switch					
Part #	Description - Pump Down 	Part #	Description - Pump Up 	Shipping Weight	List Price
1003232	10PMPD1WP	1003237	10PMU1WP	1.88 lbs.	\$128.70
1003233	10PMPD2WP	1003239	10PMU2WP	1.92 lbs.	\$133.43
1003235	10PMPDWOP	1003241	10PMUWOP	1.73 lbs.	\$118.19
1003243	15PMPD1WP	1003249	15PMU1WP	2.23 lbs.	\$135.80
1003245	15PMPD2WP	1003251	15PMU2WP	2.23 lbs.	\$139.20
1003247	15PMPDWOP	1003253	15PMUWOP	2.13 lbs.	\$123.97
1036797	15PMPD1WP-QF			2.50 lbs.	\$139.73
1003255	20PMPD1WP	1003261	20PMU1WP	2.57 lbs.	\$141.31
1003257	20PMPD2WP	1003263	20PMU2WP	2.61 lbs.	\$144.73
1003259	20PMPDWOP	1003265	20PMUWOP	2.49 lbs.	\$129.75
1003267	30PMPD1WP	1003273	30PMU1WP	3.38 lbs.	\$153.91
1003269	30PMPD2WP	1003275	30PMU2WP	3.41 lbs.	\$157.33
1003271	30PMPDWOP	1003277	30PMUWOP	3.30 lbs.	\$142.10

Part #	Description - Pump Down or Pump Up   Without Plug Only	Shipping Weight	Price List
1004834	10PMSPDTPC	1.81 lbs.	\$95.87
1004835	10PMSPDTWE	3.05 lbs.	\$108.74
1004836	15PMSPDTPC	2.21 lbs.	\$101.91
1004837	15PMSPDTWE	3.45 lbs.	\$116.62
1004838	20PMSPDTPC	2.61 lbs.	\$107.43
1004839	20PMSPDTWE	3.85 lbs.	\$120.29
1004840	30PMSPDTPC	3.41 lbs.	\$113.21
1004841	30PMSPDTWE	4.65 lbs.	\$133.17

D = Pump Down U = Pump Up 1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug QF = Quick Fit

NOTE: Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**MOUNTING CLAMP** is standard. **CABLE WEIGHT MOUNTING** is also available. **PACKAGING:** Boxed - Standard.

**ADDITIONAL CABLE:** Longer cable lengths available. **QUICK FIT** piggy-back plug and float are separate to allow for quick fit installation.

**DOUBLE FLOAT MASTER® PUMP SWITCH** - Mechanically-activated, wide-angle switch designed to control pumps up to 15 FLA, 90 LRA, 120 VAC or 240 VAC.

PUMP DOWN 		PUMP UP 		Shipping Weight	List Price
Part #	Description	Part #	Description		
1016864	15DFMMD1WP	1017668	15DFMMU1WP	3.63 lbs.	\$211.84
1017657	15DFMMD2WP	1017669	15DFMMU2WP	3.64 lbs.	\$217.55
1017658	15DFMMD1WOP	1017670	15DFMMU1WOP	3.55 lbs.	\$199.28
1017659	15DFMMD2WOP	1017671	15DFMMU2WOP	3.51 lbs.	\$203.51
1017660	20DFMMD1WP	1017672	20DFMMU1WP	4.04 lbs.	\$219.75
1017661	20DFMMD2WP	1017673	20DFMMU2WP	4.08 lbs.	\$225.47
1017662	20DFMMD1WOP	1017674	20DFMMU1WOP	3.97 lbs.	\$207.26
1017663	20DFMMD2WOP	1017675	20DFMMU2WOP	4.01 lbs.	\$211.42
1017664	30DFMMD1WP	1017676	30DFMMU1WP	4.95 lbs.	\$236.65
1017665	30DFMMD2WP	1017677	30DFMMU2WP	4.99 lbs.	\$242.34
1017666	30DFMMD1WOP	1017678	30DFMMU1WOP	4.86 lbs.	\$224.32
1017667	30DFMMD2WOP	1017679	30DFMMU2WOP	4.87 lbs.	\$228.31

D = Pump Down U = Pump Up 1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug

**NOTE:** Descriptions are grouped by cable length measured in feet (15, 20, 30).

**PACKAGING:** Boxed - Standard

**ADDITIONAL CABLE:** Longer cable lengths available.

**SJE AMPMASTER® PUMP SWITCH** - Mechanically-activated, wide-angle 20 amp rated switch designed to control pumps up to 1 1/2 HP at 125 VAC and 3 HP at 250 VAC.

Part #	Description (Pump Down - Without Plug Only) 	Shipping Weight	List Price
1006310	10AMDWOP	1.79 lbs.	\$172.89
1006311	15AMDWOP	2.27 lbs.	\$180.96
1006312	20AMDWOP	2.72 lbs.	\$188.96
1006313	30AMDWOP	3.12 lbs.	\$206.30

D = Pump Down WOP = With Out Plug

**MOUNTING CLAMP** is standard.

**PACKAGING:** Boxed - Standard

**ADDITIONAL CABLE:** Longer cable lengths available.

**SJE VERTICALMASTER® 3 PLUS PUMP SWITCH** - Mechanically-activated pump switch designed for direct control of pumps up to 1/2 HP at 120 VAC and 1 HP at 230 VAC in limited space applications.

Part #	Description (Pump Down Only) 	Shipping Weight	List Price
1076764	10VM3P1WP	1.73 lbs.	\$111.03
1076768	10VM3P2WP	1.77 lbs.	\$115.01
1076772	10VM3PWOP	1.65 lbs.	\$97.44
1076765	15VM3P1WP	2.08 lbs.	\$116.70
1076769	15VM3P2WP	2.12 lbs.	\$120.10
1076773	15VM3PWOP	2.00 lbs.	\$103.68
1076766	20VM3P1WP	2.43 lbs.	\$122.36
1076770	20VM3P2WP	2.47 lbs.	\$126.34
1076774	20VM3PWOP	2.35 lbs.	\$109.34
1076767	30VM3P1WP	3.13 lbs.	\$134.83
1076771	30VM3P2WP	3.17 lbs.	\$138.80
1076776	30VM3PWOP	3.05 lbs.	\$121.80

1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**MOUNTING BRACKET** and **HOSE CLAMP** are standard.

**PACKAGING:** Boxed - Standard

**SJE MICROMASTER® AC/DC PUMP SWITCH** - Mechanically-activated, wide-angle switch designed for performance and dependability.

PUMP DOWN 		PUMP UP 		Shipping Weight	List Price
Part #	Description	Part #	Description		
1009813	15MMDCDWP	1012543	15MMDCUWOP	3.63 lbs.	\$77.38

D = Pump Down U = Pump Up WOP = With Out Plug

**MOUNTING CLAMP** is standard.

**PACKAGING:** Bagged - Standard

**SJE MICROMASTER® PLUS WS PUMP SWITCH** - Mechanically-activated, wide-angle switch designed for performance and dependability.

PUMP DOWN 		PUMP UP 		Shipping Weight	List Price
Part #	Description	Part #	Description		
1022021	10MMPD1WPWS	1022024	10MMPU1WPWS	1.48 lbs.	\$94.19
1022022	10MMPD2WPWS	1022025	10MMPU2WPWS	1.51 lbs.	\$97.55
1022020	10MMPDWOPWS	1022023	10MMPUWOPWS	1.04 lbs.	\$82.48
1022027	15MMPD1WPWS	1022030	15MMPU1WPWS	1.81 lbs.	\$99.38
1022028	15MMPD2WPWS	1022031	15MMPU2WPWS	1.85 lbs.	\$102.74
1022026	15MMPDWOPWS	1022029	15MMPUWOPWS	1.37 lbs.	\$87.64
1022033	20MMPD1WPWS	1022036	20MMPU1WPWS	2.14 lbs.	\$104.80
1022034	20MMPD2WPWS	1022037	20MMPU2WPWS	2.19 lbs.	\$107.96
1022032	20MMPDWOPWS	1022035	20MMPUWOPWS	1.69 lbs.	\$92.85
1022039	30MMPD1WPWS	1022042	30MMPU1WPWS	2.86 lbs.	\$114.68
1022040	30MMPD2WPWS	1022043	30MMPU2WPWS	2.90 lbs.	\$119.15
1022038	30MMPDWOPWS	1022041	30MMPUWOPWS	2.34 lbs.	\$104.10

D = Pump Down U = Pump Up 1 = 125VAC 2 = 250VAC WP = With Plug WOP = With Out Plug

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**MOUNTING CLAMP** is standard.

**CABLE WEIGHT MOUNTING** is also available.

**PACKAGING:** Boxed - Standard

**ADDITIONAL CABLE:** Longer cable lengths available.

**SJE MICROMASTER® RA (REDUCED ANGLE) PUMP SWITCH** - Mechanically-activated, reduced-angle switch designed for performance and dependability.

Part #	Description (Pump Down)	Shipping Weight	List Price
1109512	15MMRADWP	3.00 lbs.	\$153.83
1110720	30MMRADWP	4.32 lbs.	\$196.80

D = Pump Down WP = With Plug

**MOUNTING CLAMP** is standard.

**PACKAGING:** Boxed - Standard

**SJE HITEMPMASTER™ PUMP SWITCH** - Mechanically-activated, wide-angle switch specifically designed for performance and dependability in high temperature sump applications up to 200°F (93°C).

Part #	Description (Pump Down Only)	Shipping Weight	List Price
1043545	10HTMD1WP	1.72 lbs.	\$126.09
1043548	10HTMD2WP	1.76 lbs.	\$129.39
1043551	10HTMDWOP	1.64 lbs.	\$114.48
1043546	20HTMD1WP	2.36 lbs.	\$139.72
1043549	20HTMD2WP	2.40 lbs.	\$142.82
1043554	20HTMDWOP	2.28 lbs.	\$127.89
1043547	30HTMD1WP	3.02 lbs.	\$150.61
1043550	30HTMD2WP	3.07 lbs.	\$153.90
1043555	30HTMDWOP	2.94 lbs.	\$138.99

D = Pump Down 1 = 125VAC 2 = 250VAC WP = With Plug WOP = With Out Plug

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 20, 30).

**MOUNTING CLAMP** is standard.

**PACKAGING:** Boxed - Standard



**JUNIOR SUPER SINGLE® PUMP SWITCH** - Mercury-activated, wide-angle switch designed for direct control of pumps up to 1/2 HP at 120 VAC and 1 HP at 230 VAC.

PUMP DOWN 		PUMP UP 		Shipping Weight	List Price
Part #	Description	Part #	Description		
1001896	10JSD1WP	1001918	10JSU1WP	1.45 lbs.	\$132.30
1001914	10JSD2WP	1001921	10JSU2WP	1.48 lbs.	\$136.71
1001916	10JSDWOP	1001923	10JSUWOP	1.37 lbs.	\$116.87
1001817	15JSD1WP	1001930	15JSU1WP	1.77 lbs.	\$138.92
1001926	15JSD2WP	1001932	15JSU2WP	1.81 lbs.	\$143.33
1001928	15JSDWOP	1001934	15JSUWOP	1.68 lbs.	\$123.48
1001898	20JSD1WP	1001941	20JSU1WP	2.11 lbs.	\$145.53
1001937	20JSD2WP	1001943	20JSU2WP	2.14 lbs.	\$151.04
1001939	20JSDWOP	1001945	20JSUWOP	2.03 lbs.	\$131.20
1001900	30JSD1WP	1001952	30JSU1WP	2.82 lbs.	\$160.97
1001948	30JSD2WP	1001954	30JSU2WP	2.86 lbs.	\$165.38
1001950	30JSDWOP	1001956	30JSUWOP	2.74 lbs	\$145.53

D = Pump Down U = Pump Up 1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug

NOTE: Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**Mounting Clamp** is standard.

**PACKAGING:** Boxed - Standard

**ADDITIONAL CABLE:** Longer cable lengths available.

**DOUBLE FLOAT® PUMP SWITCH** - Mercury-activated, wide-angle switch designed to control pumps up to 1 HP at 120 VAC and 2 HP at 230 VAC.

PUMP DOWN 		PUMP UP 		Shipping Weight	List Price
Part #	Description	Part #	Description		
1002022	15DFD1WP	1002030	15DFU1WP	3.63 lbs.	\$288.76
1002024	15DFD2WP	1002032	15DFU2WP	3.64 lbs.	\$296.33
1002026	15DFD1WOP	1002034	15DFU1WOP	3.55 lbs.	\$272.54
1002028	15DFD2WOP	1002036	15DFU2WOP	3.51 lbs.	\$277.95
1002038	20DFD1WP	1002046	20DFU1WP	4.04 lbs.	\$299.58
1002040	20DFD2WP	1002048	20DFU2WP	4.08 lbs.	\$307.15
1002042	20DFD1WOP	1002050	20DFU1WOP	3.97 lbs.	\$283.35
1002044	20DFD2WOP	1002052	20DFU2WOP	4.01 lbs.	\$288.76
1002054	30DFD1WP	1002062	30DFU1WP	4.95 lbs.	\$321.21
1002056	30DFD2WP			4.99 lbs.	\$328.78
1002058	30DFD1WOP	1002066	30DFU1WOP	4.86 lbs.	\$306.06
1002060	30DFD2WOP	1002068	30DFU2WOP	4.87 lbs.	\$310.39

D = Pump Down U = Pump Up 1 = 120VAC 2 = 230VAC WP = With Plug WOP = With Out Plug

NOTE: Descriptions are grouped by cable length measured in feet (15, 20, 30).

**PACKAGING:** Boxed - Standard

**ADDITIONAL CABLE:** Longer cable lengths available.

**EZCONNEX® 3-PORT FLOAT SWITCH CONNECTION SYSTEM** - Manifold/float connection system designed for easy installation of 1-3 float switches in a wet well for level control applications.

Part #	Description (3-Port Manifold)		Shipping Weight	List Price			
1047612	EZconnex®, 3-Port, 25 ft., with Mounting Bracket		3.33 lbs.	\$307.69			
1047613	EZconnex®, 3-Port, 50 ft., with Mounting Bracket		5.22 lbs.	\$360.96			
1050843	EZconnex®, 3-Port, 100 ft., with Mounting Bracket		9.28 lbs.	\$447.33			
<b>EZ CONNEX® FLOAT SWITCH NARROW-ANGLED VERSIONS</b>							
NORMALLY OPEN		NORMALLY CLOSED					
Part #	Description	Part #	Description	Shipping Weight			
1046922	5MAPNPCNOEZ	1046923	5MAPNPCNCEZ	0.86 lbs.			
1046924	10MAPNPCNOEZ	1046925	10MAPNPCNCEZ	1.14 lbs.			
1050721	20MAPNPCNOEZ	1050840	20MAPNPCNCEZ	1.79 lbs.			
1054141	5MAPNCWNOEZ	1054142	5MAPNCWNCEZ	2.16 lbs.			
1054145	10MAPNCWNOEZ	1054146	10MAPNCWNCEZ	2.44 lbs.			
1054150	20MAPNCWNOEZ	1054151	20MAPNCWNCEZ	3.09 lbs.			
<b>EZ CONNEX® FLOAT SWITCH WIDE-ANGLED VERSIONS</b>							
NORMALLY OPEN		NORMALLY CLOSED					
Part #	Description	Part #	Description	Shipping Weight			
1046918	5MAPWPCNOEZ	1046919	5MAPWPCNCEZ	0.86 lbs.			
1046920	10MAPWPCNOEZ	1046921	10MAPWPCNCEZ	1.14 lbs.			
1050841	20MAPWPCNOEZ	1050842	20MAPWPCNCEZ	1.79 lbs.			
1054143	5MAPWCWNOEZ	1054144	5MAPWCWNCEZ	2.16 lbs.			
1054147	10MAPWCWNOEZ	1054148	10MAPWCWNCEZ	2.44 lbs.			
1054152	20MAPWCWNOEZ	1054153	20MAPWCWNCEZ	3.09 lbs.			
<b>EZ CONNEX® MEGAMASTER® FLOAT SWITCH</b>							
NORMALLY OPEN		NORMALLY CLOSED					
Part #	Description	Part #	Description	Shipping Weight			
1059056	10MEGANOEZ	1059057	10MEGANCEZ	2.6 lbs.			
1059058	25MEGANOEZ	1059059	25MEGANCEZ	3.6 lbs.			
1059060	50MEGANOEZ	1059061	50MEGANCEZ	5.1 lbs.			
Options Part #	Description			Shipping Weight			
1047611	Sealing Plug (includes Rubber Boot)			0.16 lbs.			
1052814	6 Hook Bracket			2.0 lbs.			
				List Price			
				\$31.39			
				\$190.28			

N = Narrow Angle W = Wide Angle PC = Pipe Clamp CW = Cable Weight NO = Normally Open NC = Normally Closed EZ = EZconnex®

NOTE: One sealing plug must be ordered for each unused port. Do not install manifold with open port(s).

**PACKAGING:**

**Manifold:** Boxed - Standard

**Float Switches:** Bagged - Standard

**EZCONNEX® 4-PORT FLOAT SWITCH CONNECTION SYSTEM** - Manifold/float connection system designed for easy installation of 1-4 float switches in a wet well for level control applications.

Part #	Description (4-Port Manifold)		Shipping Weight	List Price
1053987	EZconnex®, 4-Port, 25 ft., with Mounting Bracket		4.57 lbs.	\$345.19
1053988	EZconnex®, 4-Port, 50 ft., with Mounting Bracket		7.04 lbs.	\$425.10
1053989	EZconnex®, 4-Port, 100 ft., with Mounting Bracket		11.98 lbs.	\$584.91
<b>EZ CONNEX® FLOAT SWITCH NARROW-ANGLED VERSIONS</b>				
NORMALLY OPEN		NORMALLY CLOSED		
Part #	Description	Part #	Description	Shipping Weight
1046922	5MAPNPCNOEZ	1046923	5MAPNPCNCEZ	0.86 lbs.
1046924	10MAPNPCNOEZ	1046925	10MAPNPCNCEZ	1.14 lbs.
1050721	20MAPNPCNOEZ	1050840	20MAPNPCNCEZ	1.79 lbs.
1054141	5MAPNCWNOEZ	1054142	5MAPNCWNCEZ	2.16 lbs.
1054145	10MAPNCWNOEZ	1054146	10MAPNCWNCEZ	2.44 lbs.
1054150	20MAPNCWNOEZ	1054151	20MAPNCWNCEZ	3.09 lbs.
<b>EZ CONNEX® FLOAT SWITCH WIDE-ANGLED VERSIONS</b>				
NORMALLY OPEN		NORMALLY CLOSED		
Part #	Description	Part #	Description	Shipping Weight
1046918	5MAPWPCNOEZ	1046919	5MAPWPCNCEZ	0.86 lbs.
1046920	10MAPWPCNOEZ	1046921	10MAPWPCNCEZ	1.14 lbs.
1050841	20MAPWPCNOEZ	1050842	20MAPWPCNCEZ	1.79 lbs.
1054143	5MAPWCWNOEZ	1054144	5MAPWCWNCEZ	2.16 lbs.
1054147	10MAPWCWNOEZ	1054148	10MAPWCWNCEZ	2.44 lbs.
1054152	20MAPWCWNOEZ	1054153	20MAPWCWNCEZ	3.09 lbs.
<b>EZ CONNEX® MEGAMASTER® FLOAT SWITCH</b>				
NORMALLY OPEN		NORMALLY CLOSED		
Part #	Description	Part #	Description	Shipping Weight
1059056	10MEGANOEZ	1059057	10MEGANCEZ	2.6 lbs.
1059058	25MEGANOEZ	1059059	25MEGANCEZ	3.6 lbs.
1059060	50MEGANOEZ	1059061	50MEGANCEZ	5.1 lbs.
Options Part #	Description			Shipping Weight
1047611	Sealing Plug (includes Rubber Boot)			0.16 lbs.
1052814	6 Hook Bracket			2.0 lbs.
List Price				

N = Narrow Angle W = Wide Angle PC = Pipe Clamp CW = Cable Weight NO = Normally Open NC = Normally Closed EZ = EZconnex®

**NOTE:** One sealing plug must be ordered for each unused port. Do not install manifold with open port(s).

**SJE MEGAMASTER® CONTROL SWITCH** - Mechanically-activated, narrow-angle float switch designed for level control of municipal wastewater pumping stations.

Part #	Description (Normally Open or Normally Closed)	Shipping Weight	List Price
1046500	25MGMSPDT	3.53 lbs.	\$106.87
1046501	50MGMSPDT	5.06 lbs.	\$136.77
1046502	75MGMSPDT	6.65 lbs.	\$175.38
1046503	100MGMSPDT	8.21 lbs.	\$215.64
Options Part #	Description	Shipping Weight	
1009432	4 Float Bracket with Mounting Device	2.22 lbs.	\$97.93

Can be wired to work in either pump down (normally open) or pump up (normally closed) applications.

**PACKAGING:** Bagged - Standard

**SJE SIGNALMASTER®/SJE SIGNALMASTER® SPDT CONTROL SWITCHES** - Mechanically-activated, narrow-angle float switches designed to activate pump control panels and alarms.

NORMALLY OPEN		NORMALLY CLOSED		Shipping Weight	List Price
Part #	Description	Part #	Description		
1006042	10SGMPCNO	1006046	10SGMPCNC	1.04 lbs.	\$55.68
1006050	10SGMWENO	1006054	10SGMWENC	2.13 lbs.	\$68.29
1006043	15SGMPCNO	1006047	15SGMPCNC	1.37 lbs.	\$60.93
1006051	15SGMWENO	1006055	15SGMWENC	2.45 lbs.	\$73.54
1006044	20SGMPCNO	1006048	20SGMPCNC	1.69 lbs.	\$66.19
1006052	20SGMWENO	1006056	20SGMWENC	2.70 lbs.	\$78.80
1006045	30SGMPCNO	1006049	30SGMPCNC	2.34 lbs.	\$77.74
1006053	30SGMWENO	1006057	30SGMWENC	3.43 lbs.	\$90.35

**SPDT (NORMALLY OPEN OR NORMALLY CLOSED)**

Part #	Description	Shipping Weight	List Price
1006094	10SGMSPDTPC	1.20 lbs.	\$64.34
1006098	10SGMSPDTWE	2.29 lbs.	\$77.03
1006095	15SGMSPDTPC	1.61 lbs.	\$70.09
1006099	15SGMSPDTWE	2.69 lbs.	\$82.77
1006096	20SGMSPDTPC	2.01 lbs.	\$75.92
1006100	20SGMSPDTWE	3.10 lbs.	\$88.54
1006097	30SGMSPDTPC	2.82 lbs.	\$88.54
1006101	30SGMSPDTWE	3.91 lbs.	\$101.28

**PC** = Pipe Clamp   **WE** = Weighted Externally   **NO** = Normally Open   **NC** = Normally Closed

**SPDT**: Can be wired to work in either pump down (normally open) or pump up (normally closed) applications (**Single Pole, Double Throw**).

**NOTE:** Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**PACKAGING:** Bagged - Standard

**ADDITIONAL CABLE:** Longer cable lengths available.

**SJE MILLIAMPMASTER™ WPS CONTROL SWITCH** - Mechanically-activated, narrow-angle control switch designed to activate low current control panels and alarms in potable water applications.

Part #	Description (Normally Open or Normally Closed)	Shipping Weight	List Price
1062686	15MANWPSPC	1.7 lbs.	\$78.57
1062687	30MANWPSPC	2.5 lbs.	\$95.89
1067227	50MANWPSPC	3.93 lbs.	\$122.19

**PC** = Pipe Clamp

Can be wired to work in either pump down (normally open) or pump up (normally closed) applications (**Single Pole, Double Throw**).

**NOTE:** Descriptions are by cable length measured in feet.

**SJE MILLIAMPMASTER™ CONTROL SWITCH** - Mechanically-activated control switch designed to activate low current control panels and alarms.

NARROW ANGLE VERSIONS					
NORMALLY OPEN		NORMALLY CLOSED			
Part #	Description	Part #	Description	Shipping Weight	List Price
1018838	10MANPCNO	1018839	10MANPCNC	1.04 lbs.	\$59.32
1018840	10MANWENO	1018841	10MANWENC	2.16 lbs.	\$70.39
1018842	15MANPCNO	1018843	15MANPCNC	1.37 lbs.	\$63.97
1018844	15MANWENO	1018845	15MANWENC	2.45 lbs.	\$75.03
1018846	20MANPCNO	1018847	20MANPCNC	1.69 lbs.	\$68.59
1018848	20MANWENO	1018849	20MANWENC	2.70 lbs.	\$79.63
1018850	30MANPCNO	1018851	30MANPCNC	2.34 lbs.	\$78.61
1018852	30MANWENO	1018853	30MANWENC	3.43 lbs.	\$89.66
WIDE ANGLE VERSIONS					
NORMALLY OPEN		NORMALLY CLOSED			
Part #	Description	Part #	Description	Shipping Weight	List Price
1015725	10MAPCNO	1016180	10MAPCNC	1.04 lbs.	\$59.32
1016181	10MAWENO	1016182	10MAWENC	2.16 lbs.	\$70.39
1016184	15MAPCNO	1016185	15MAPCNC	1.37 lbs.	\$63.97
1016186	15MAWENO	1016187	15MAWENC	2.45 lbs.	\$75.03
1016211	20MAPCNO	1016212	20MAPCNC	1.69 lbs.	\$68.59
1016213	20MAWENO	1016214	20MAWENC	2.70 lbs.	\$79.63
1016215	30MAPCNO	1016216	30MAPCNC	2.34 lbs.	\$78.61
1016217	30MAWENO	1016218	30MAWENC	3.43 lbs.	\$89.66

PC = Pipe Clamp WE = Weighted Externally NO = Normally Open NC = Normally Closed

NOTE: Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**SENSOR FLOAT® CONTROL SWITCH** - Mercury-activated, narrow-angle float switch designed to activate pump control panels and alarms.

NORMALLY OPEN		NORMALLY CLOSED			
Part #	Description	Part #	Description	Shipping Weight	List Price
1002108	10PCNO	1002111	10PCNC	1.29 lbs.	\$89.30
1002072	10SWINO	1002075	10SWINC	1.85 lbs.	\$95.92
1002143	10SWENO	1002146	10SWENC	2.66 lbs.	\$105.84
1002117	15PCNO	1002120	15PCNC	1.64 lbs.	\$95.92
1002080	15SWINO	1002083	15SWINC	2.22 lbs.	\$102.53
1002152	15SWENO	1002155	15SWENC	2.90 lbs.	\$112.46
1002125	20PCNO	1002128	20PCNC	1.99 lbs.	\$102.53
1002089	20SWINO	1002092	20SWINC	2.59 lbs.	\$109.15
1002161	20SWENO	1002164	20SWENC	3.27 lbs.	\$119.07
1002134	30PCNO	1002137	30PCNC	2.13 lbs.	\$117.97
1002098	30SWINO	1002101	30SWINC	3.28 lbs.	\$124.58
1002170	30SWENO	1002173	30SWENC	3.88 lbs.	\$134.51

PC = Pipe Clamp WI = Weighted Internally WE = Weighted Externally NO = Normally Open NC = Normally Closed

NOTE: Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

**PACKAGING: Bagged** - Standard

**ADDITIONAL CABLE:** Longer cable lengths available.

**SENSOR FLOAT® MINI CONTROL SWITCH** - Mercury-activated, narrow-angle float switch designed to activate pump control panels and alarms.

NORMALLY OPEN		NORMALLY CLOSED		Shipping Weight	List Price
Part #	Description	Part #	Description		
1002181	10MPCNO	1002184	10MPCNC	1.20 lbs.	\$78.28
1002206	10MWENO	1002209	10MWENC	2.58 lbs.	\$95.92
1002187	15MPCNO	1002190	15MPCNC	1.57 lbs.	\$84.89
1002212	15MWENO	1002215	15MWENC	2.81 lbs.	\$100.33
1002193	20MPCNO	1002196	20MPCNC	1.90 lbs.	\$91.51
1002218	20MWENO	1002221	20MWENC	3.14 lbs.	\$106.94
1002199	30MPCNO	1002202	30MPCNC	2.68 lbs.	\$105.84
1002224	30MWENO	1002227	30MWENC	3.96 lbs.	\$122.38

PC = Pipe Clamp WE = Weighted Externally NO = Normally Open NC = Normally Closed

NOTE: Descriptions are grouped by cable length measured in feet (10, 15, 20, 30).

PACKAGING: Bagged - Standard

ADDITIONAL CABLE: Longer cable lengths available.

**JUNCTION BOXES** - Seals electrical connections from moisture and other elements.

Part #	Description	Shipping Weight	List Price
1008546	JB444 (no connectors or hub installed)	2 lbs.	\$86.52
1008872	JB444-1.5H-3R8 Simplex	3 lbs.	\$153.57
1008547	JB444-1.5H-4R8 Simplex	3 lbs.	\$166.55
1008548	JB664 (no connectors or hub installed)	3 lbs.	\$102.74
1008549	JB664-1.5H-4R8 Simplex (small HP pump)	4 lbs.	\$181.69
1008550	JB664-2H-5R8 Duplex (small HP pump)	4 lbs.	\$197.91
1008551	JB664-1.5H-3R8-1R12 Simplex (large HP pump)	4 lbs.	\$190.34
1008552	JB664-2H-3R8-2R12 Duplex (large HP pump)	5 lbs.	\$214.14
1008553	JB884 (no connectors or hub installed)	5 lbs.	\$182.77

NOTE: Descriptions grouped by enclosure size. 444 = 4 x 4 x 4, 664 = 6 x 6 x 4, 884 = 8 x 8 x 4. All enclosure dimensions are in inches. Number before R8 or R12 equals the number of connectors of that size installed.

1.5H = 1 1/2" HUB, 2H = 2" HUB. R8 = RCC8, R12 = RCC12.

Small HP pump = Pump cable 18/2 to 14/3 gauge. Large HP pump = Pump cable 14/4 to 10/3 gauge.

**CONTROL PANEL ACCESSORIES** - Cord Seals, Hub Assembly, Simplex Installation Kit, Duplex Installation Kit, Cable Connectors, Panel Mounting Post, Riser Mounting Kit, C-Level™ Sensor Simulator, and 4-20mA Simulator.

Part #	Description	List Price
1008517	4 Cable Cord Seal	\$61.85
1037126	6 Cable Cord Seal	\$95.09
1002574	1/2 inch Round Cable Connector (RCC-8)	\$12.16
1002575	3/4 inch Round Cable Connector (RCC-12)	\$22.43
1009868	1 inch Round Cable Connector (RCC-16)	\$25.19
1002576	1/2 inch Flat UF Cable Connector (UFCC-8)	\$30.84
1002577	3/4 inch Flat UF Cable Connector (UFCC-12)	\$33.60
1030564	3/4 inch Hub Assembly	\$9.83
1009305	1 inch Hub Assembly	\$18.61
1008848	1.5 inch Hub Assembly	\$27.04
1008849	2 inch Hub Assembly	\$29.46
1037128	2.5 inch Hub Assembly	\$34.77
1106083	Panel Mounting Post	\$187.62
1038262	Riser Mounting Kit (2 inch)	\$75.33
1053756	Riser Mounting Kit (2.5 inch)	\$129.08
1038029	Simplex Installation Kit	\$87.37
1038030	Duplex Installation Kit	\$127.64
1038326	C-Level™ Sensor Simulator	\$173.25
1039199	4-20mA Simulator	\$170.10

**DPM-240 - Dual Channel Seal Failure & Over Temperature Alarm Relay.**

Part #	Description	Shipping Weight	List Price
1118777	DPM-240 Module (panel option 5F*)	0.8 lbs.	\$446.25
1113287	DPM-240 Module w/LCD Display, includes 3 ft. RJ45 display cable (panel option 5H*)	1.1 lbs.	\$624.75

\*Use option code 5F or 5H to add to a panel configuration.

For additional display cable lengths, please contact Technical Support at [techsupport@sjeinc.com](mailto:techsupport@sjeinc.com).

**FLOAT ACCESSORIES** - Cable Clamp Assembly, Float Brackets, Pipe Mounting Bracket, Cable Weights, ETM w/ Piggy-Back Plug, Vertical Reed Switch, Anchor and Chain.

Part #	Description	List Price
1008569	18 & 16 Gauge Cable Clamp Assembly	\$8.97
1008574	14 Gauge Cable Clamp Assembly	\$9.22
1008575	12 Gauge Cable Clamp Assembly	\$9.22
1027830	304 Stainless Steel Float Bracket with 3 Black Cord Snubbers	\$99.56
1027647	304 Stainless Steel Float Bracket with 4 Black Cord Snubbers	\$209.09
1009432	4 Float Bracket with Mounting Device	\$97.93
1009433	4 Float Bracket without Mounting Device	\$85.67
1009434	6 Float Bracket with Mounting Device	\$138.38
1009435	6 Float Bracket without Mounting Device	\$121.54
1009436	Float Bracket Mounting Device	\$23.54
1109826	Pipe Mounting Bracket	\$80.77
1002230	Cable Weight	\$15.46
1030356	Cable Weight Mini	\$15.69
1022846	Elapsed Time Meter w/120V Piggy-Back Plug	\$151.17
1032834	Elapsed Time Meter w/230V Piggy-Back Plug	\$327.69
1011027	10 foot Vertical Reed Switch 120V Box	\$122.58
1016561	15 foot Vertical Reed Switch 120V Box	\$131.10
1018687	10 lb. Mushroom Anchor	\$75.84
1018823	1/8 inch Chain	\$14.63 per ft.
1052814	6 Hook Bracket	\$190.28



888-DIAL-SJE (888-342-5753)

Email: [customer.service@sjeinc.com](mailto:customer.service@sjeinc.com)  
[www.sjerhombus.com](http://www.sjerhombus.com)

**SJE Rhombus® is proud to be a member  
of these industry associations.**

